M3 4lr2641 CF 4lr3372

By: Senator Hershey

Introduced and read first time: March 3, 2014

Assigned to: Rules

A BILL ENTITLED

1 AN ACT concerning

4

5

6

7

8

9

10

11 12

18 19

20

21

22

23

24

25

26

2 Maryland Port Administration - Chesapeake and Delaware Canal - Dredged 3 Material Containment Areas - Remediation Plan

FOR the purpose of requiring the Maryland Port Administration to develop and implement a plan for the remediation of drinking water supplies that have been adversely impacted by the placement of dredged material from the Chesapeake and Delaware Canal and the approach channels to the canal in containment areas; requiring, in conjunction with a certain application for a water quality certification, the Administration to submit to the Department of the Environment a certain remediation plan; stating the findings and declarations of the General Assembly; and generally relating to dredged material containment areas and the remediation of drinking water supplies.

13 Preamble

WHEREAS, Before 1992, the U.S. Army Corps of Engineers used the Pearce Creek and Courthouse Point dredged material containment areas for the placement of dredged material from the Chesapeake and Delaware Canal southern approach channels; and

WHEREAS, The U.S. Army Corps of Engineers used Pooles Island for the placement of dredged material from the Chesapeake and Delaware Canal southern approach channels from 1992 until the site was closed in 2010; and

WHEREAS, The U.S. Army Corps of Engineers has identified the Pearce Creek and Courthouse Point containment areas as the best options for the replacement of the Pooles Island site, based on capacity and transportation costs; and

WHEREAS, The U.S. Army Corps of Engineers is required to obtain water quality certifications from the Maryland Department of the Environment to reopen the Pearce Creek and Courthouse Point containment areas; and



WHEREAS, The U.S. Geological Survey released a study in January 2013, which was commissioned by the U.S. Army Corps of Engineers and based on samples collected from 50 wells and 2 surface water sites, concluding that the construction and subsequent use of the Pearce Creek dredged material containment area, combined with preexisting natural conditions, degraded the quality of groundwater close to the facility; and

WHEREAS, the U.S. Geological Survey study found that 15% of the samples tested exceeded the U.S. Environmental Protection Agency maximum contaminant level for beryllium; 2% of the samples exceeded the maximum contaminant level for arsenic, cadmium, or thallium; 71% of the samples exceeded health advisory levels of manganese, nickel, sodium, sulfate, strontium, or zinc; and 96% of the samples exceeded the U.S. Environmental Protection Agency's secondary drinking water regulations for at least one constituent such as sulfate, iron, aluminum, or pH; and

WHEREAS, The Maryland Port Administration is a primary beneficiary of dredging conducted by the U.S. Army Corps of Engineers to maintain the Chesapeake and Delaware Canal and the approach channels to the canal; now, therefore,

- 17 SECTION 1. BE IT ENACTED BY THE GENERAL ASSEMBLY OF 18 MARYLAND, That:
 - (a) The General Assembly finds and declares that:
- 20 (1) the placement of material dredged from the Chesapeake and 21 Delaware Canal and the approach channels to the canal in upland containment areas 22 has been found to have adverse impacts on groundwater and drinking water supplies; 23 and
 - (2) the impacts on drinking water supplies must be fully studied and remediated and any future impacts addressed before the placement of any new dredged material in a containment area located near the Chesapeake and Delaware Canal, including the Pearce Creek and Courthouse Point containment areas.
 - (b) The Maryland Port Administration shall develop and implement a plan for the remediation of drinking water supplies that have been adversely impacted by the placement of dredged material from the Chesapeake and Delaware Canal and the approach channels to the canal in containment areas.
 - (c) In conjunction with any application to the Department of the Environment for a water quality certification that relates to the placement of dredged material from the Chesapeake and Delaware Canal or the approach channels to the canal in a dredged material containment area, the Maryland Port Administration shall submit to the Department a water remediation plan that includes, at a minimum:

1	(1) a description of the properties that have water supplies impacted
2	by the previous placement of dredged material from the Chesapeake and Delaware
3	Canal or the approach channels in a containment area;
4	(2) a detailed description of the proposed remediation plan;
5	(3) a budget and a description of funding sources for the remediation;
0	(b) a bauget and a description of funding sources for the remediation,
6	(4) a schedule for the remediation;
7	(5) a description of all required State and local regulatory approvals;
8	(6) a copy of any interagency or interjurisdictional agreement related
9	to the remediation;
Ü	to the remediation,
10	(7) a copy of any letter of commitment from a local approval authority;
11	and
•	
12	(8) any other information that the Department of the Environment
13	determines to be necessary.
14	SECTION 2. AND BE IT FURTHER ENACTED, That this Act shall take effect
15	June 1, 2014.