## **HOUSE BILL 83**

F1(1lr1392)

## ENROLLED BILL

— Ways and Means/Education, Health, and Environmental Affairs —

Introduced by Delegate Queen	
Read and Examined by Proofreaders:	
Proofreade	_ r.
Proofreade	_ r.
Sealed with the Great Seal and presented to the Governor, for his approval this	s
day of at o'clock,N	I.
Speake	r.
CHAPTER	
AN ACT concerning	
Public and Nonpublic Schools – Electric Retractable Room Partitions – Operation Requirements Review and Report Operation Requirements	
FOR the purpose of prohibiting public and nonpublic school employees from operating a electric retractable room partition in a school except under certain circumstances requiring any annual safety review, evaluation, or exercise for school employees in certain school building to include certain information and demonstrations; requiring the State Department of Education to develop and disseminate model safety guidelines on the safe operation of electric retractable room partitions; requiring the Department to publish model safety guidelines on its public website; defining certain terms; requiring the State Department of Education to conduct a thorough review and evaluation of certain matters relating to the operation of electric retractable room partitions; requiring the Department to adopt certain regulations or guidelines.	<del>````                                 </del>
terms; requiring the State Department of Education to conduct a thorough reviewand evaluation of certain matters relating to the operation of electric retractable	₩ €

## EXPLANATION: CAPITALS INDICATE MATTER ADDED TO EXISTING LAW.

[Brackets] indicate matter deleted from existing law.

<u>Underlining</u> indicates amendments to bill.

1

2 3

> Strike out indicates matter stricken from the bill by amendment or deleted from the law by amendment.

Italics indicate opposite chamber/conference committee amendments.



34

35

36

**STACKING AREA OF THE PARTITION;** 

1	its review and actions; prohibiting public and nonpublic school employees from
2	operating an electric retractable room partition in a school except under certain
3	circumstances; requiring any annual safety review, evaluation, or exercise for school
4	employees in a certain school building to include certain information and
5	demonstrations; requiring the State Department of Education to develop and
6	disseminate model safety guidelines on the safe operation of electric retractable room
7	partitions; requiring the Department to publish model safety guidelines on its public
8 9	<u>website</u> ; <u>defining certain terms</u> ; and generally relating to electric retractable room partitions and schools.
3	partitions and schools.
10	BY adding to
11	
12	Section 7-447
13	Annotated Code of Maryland
14	(2018 Replacement Volume and 2020 Supplement)
15	BY adding to
16	Article – Education
17	Section 7–447
18	Annotated Code of Maryland
19	(2018 Replacement Volume and 2020 Supplement)
20	SECTION 1. BE IT ENACTED BY THE GENERAL ASSEMBLY OF MARYLAND.
21	That the Laws of Maryland read as follows:
22	Article - Education
23	<del>7–447.</del>
20	<del>7 1111</del>
24	(A) (1) IN THIS SECTION THE FOLLOWING WORDS HAVE THE MEANINGS
25	INDICATED.
26	(2) "ELECTRIC RETRACTABLE ROOM PARTITION" MEANS A ROOM
27	PARTITION, DIVIDER, CURTAIN, OR ANY OTHER SIMILAR DEVICE THAT IS OPENED
28	AND RETRACTED BY OPERATION OF AN ELECTRIC MOTOR.
29	(3) "SCHOOL EMPLOYEE" MEANS AN EMPLOYEE OF A PUBLIC SCHOOL
30	OR NONPUBLIC SCHOOL.
91	(D) A SCHOOL EMDLOWEE MAY NOW OBED AME AN ELECTRIC DEMPA COADLE
31	(B) A SCHOOL EMPLOYEE MAY NOT OPERATE AN ELECTRIC RETRACTABLE
32	ROOM PARTITION IN A SCHOOL BUILDING UNLESS:
33	(1) THE PARTITION INCLUDES A SAFETY SENSOR THAT
	(1) IIII IIIIIIIIII II MIIIII MIINOI IIIIII

AUTOMATICALLY STOPS THE MOVEMENT OF THE PARTITION WHEN A BODY PASSES

BETWEEN THE LEADING EDGE AND A WALL, AN OPPOSING PARTITION, OR THE

1	(2) No students are present in the school building; or
2	(3) THE ROOM OR AREA WHERE THE PARTITION IS LOCATED IS
3	LOCKED OR OTHERWISE FREE OF OR INACCESSIBLE TO STUDENTS.
4	(C) ANY ANNUAL SAFETY REVIEW, EVALUATION, OR EXERCISE FOR SCHOOL
5	EMPLOYEES IN A SCHOOL BUILDING WITH AN ELECTRIC RETRACTABLE ROOM
6	PARTITION SHALL INCLUDE INFORMATION AND DEMONSTRATIONS, AS
7	APPROPRIATE, REGARDING THE SAFE OPERATION OF THE ELECTRIC RETRACTABLE
8	ROOM PARTITION IN ACCORDANCE WITH SUBSECTIONS (B) AND (D) OF THIS
9	SECTION.
10	(D) THE DEPARTMENT SHALL:
11	(1) DEVELOP AND DISSEMINATE TO EACH COUNTY BOARD AND EACH
12	NONPUBLIC SCHOOL MODEL SAFETY GUIDELINES REGARDING THE OPERATION OF
13	ELECTRIC RETRACTABLE ROOM PARTITIONS; AND
14	(2) PUBLISH THE MODEL SAFETY GUIDELINES ON ITS PUBLIC
15	<del>WEBSITE.</del>
16	SECTION 1. BE IT ENACTED BY THE GENERAL ASSEMBLY OF MARYLAND.
17	That:
11	<del>That.</del>
18	(a) The State Department of Education shall conduct a thorough review and
19	evaluation of:
20	(1) the current electric retractable room partition equipment used in public
21	and nonpublic schools throughout the State;
22	(2) the current practices used by staff in public and nonpublic schools
23	(2) the current practices used by staff in public and nonpublic schools throughout the State when operating electric retractable room partitions; and
20	throughout the State when operating electric retractable room partitions, and
24	(3) existing policies by public schools, local school systems, and nonpublic
25	schools that govern the operation of electric retractable room partitions.
26	(b) On or before September 1, 2022, after conducting its thorough examination
27	and review, the State Department of Education shall adopt any regulations or guidelines
28	needed to ensure that the operation of electric retractable room partitions in public and
29	nonpublic schools occur in the safest manner possible.
30	(c) On or before December 1, 2022, the State Department of Education shall
31	(c) On or before December 1, 2022, the State Department of Education shall report to the Governor and, in accordance with § 2–1257 of the State Government Article,
$\frac{31}{32}$	the General Assembly on its review and any actions taken under this Act.

$\frac{1}{2}$	SECTION 1. BE IT ENACTED BY THE GENERAL ASSEMBLY OF MARYLAND, That the Laws of Maryland read as follows:
3	$\underline{Article-Education}$
4	<u>7–447.</u>
5 6	(A) (1) IN THIS SECTION THE FOLLOWING WORDS HAVE THE MEANINGS INDICATED.
7 8 9	(2) "ELECTRIC RETRACTABLE ROOM PARTITION" MEANS A ROOM PARTITION, DIVIDER, CURTAIN, OR ANY OTHER SIMILAR DEVICE THAT IS OPENED AND RETRACTED BY OPERATION OF AN ELECTRIC MOTOR.
10 11	(3) "SCHOOL EMPLOYEE" MEANS AN EMPLOYEE OF A PUBLIC SCHOOL OR NONPUBLIC SCHOOL.
12 13	(B) A SCHOOL EMPLOYEE MAY NOT OPERATE AN ELECTRIC RETRACTABLE ROOM PARTITION IN A SCHOOL BUILDING UNLESS:
14 15 16 17	(1) The partition includes a safety sensor that Automatically stops the movement of the partition when a body passes Between the leading edge and a wall, an opposing partition, or the stacking area of the partition;
18	(2) NO STUDENTS ARE PRESENT IN THE SCHOOL BUILDING; OR
19 20	(3) The room or area where the partition is located is locked or otherwise free of or inaccessible to students.
21 22 23	(C) ANY ANNUAL SAFETY REVIEW, EVALUATION, OR EXERCISE FOR SCHOOL EMPLOYEES IN A SCHOOL BUILDING WITH AN ELECTRIC RETRACTABLE ROOM PARTITION SHALL INCLUDE INFORMATION AND DEMONSTRATIONS, AS
<ul><li>24</li><li>25</li></ul>	APPROPRIATE, REGARDING THE SAFE OPERATION OF THE ELECTRIC RETRACTABLE ROOM PARTITION IN ACCORDANCE WITH SUBSECTIONS (B) AND (D) OF THIS
<ul><li>26</li><li>27</li></ul>	(D) THE DEPARTMENT SHALL:
28 29	(1) DEVELOP AND DISSEMINATE TO EACH COUNTY BOARD AND EACH NONPUBLIC SCHOOL MODEL SAFETY GUIDELINES REGARDING THE OPERATION OF

(2) PUBLISH THE MODEL SAFETY GUIDELINES ON ITS PUBLIC

<u>WEBSITE.</u>
SECTION 2. AND BE IT FURTHER ENACTED, That this Act shall take effect Jul 1, 2021.
Approved:
Governor.
Speaker of the House of Delegates.
President of the Senate.