Unofficial Copy H1 1996 Regular Session 6lr1300

By: Chairman, Environmental Matters Committee (Departmental - Environment) Introduced and read first time: January 31, 1996 Assigned to: Environmental Matters  Committee Report: Favorable House action: Adopted Read second time: March 5, 1996	
1 AN ACT concerning	
2 Small Pond Exemptions - Height Measurement	
<ul> <li>FOR the purpose of modifying the height measurement criteria of dams eligible for a</li> <li>certain exemption from a certain permit.</li> </ul>	
5 BY repealing and reenacting, with amendments, 6 Article - Environment 7 Section 5-503(b) 8 Annotated Code of Maryland 9 (1993 Replacement Volume and 1995 Supplement)	
SECTION 1. BE IT ENACTED BY THE GENERAL ASSEMBLY OF MARYLAND, That the Laws of Maryland read as follows:	
12 Article - Environment	
13 5-503.	
14 (b) (1) A person is exempt from the requirement of obtaining a permit from the 15 Department if:	
16 (i) The plans and specifications are approved by the appropriate soil 17 conservation district;	
18 (ii) The pond is not located within drainage of the GwynnsFalls, Jones 19 Falls, or Herring Run streams situated in or adjacent to Baltimore City;	
20 (iii) The pond meets minimum standards for safety set forth in 21 Department rules and regulations;	

2

1	(iv) The contributory drainage area is less than 1 square mile (640
2	acres);
3	(v) The dam is not greater than 20 feet in height measured vertically
-	•
	from the lowest point on the top of the dam to the lowest point on the [downstream]
5	UPSTREAM toe of the dam;
6	(vi) The pond is a low hazard structure the failure of which is unlikely
7	to cause loss of life or property damage; and
8	(vii) The pond is not a wastewater stabilization pond.
9	(2) The soil conservation district shall notify the Department of any pond
10	approved under this subsection. Nothing in this subsection is a limitation on the
11	Department's authority under this subtitle.
12	SECTION 2. AND BE IT FURTHER ENACTED, That this Act shall take effect
13	October 1, 1996.