Unofficial Copy C2 1998 Regular Session 8lr6161

By: Delegate Busch

Introduced and read first time: February 19, 1998 Assigned to: Rules and Executive Nominations

A BILL ENTITLED

1 AN ACT concerning

2 Inspections - Boiler and Pressure Vessel Safety

- 3 FOR the purpose of authorizing the Board of Boiler Rules to recommend regulations
- 4 regarding the operation of boilers and pressure vessels to the Commissioner of
- 5 Labor and Industry; requiring certain boilers to be operated under the
- 6 supervision of an individual licensed by the Board of Examining Engineers or its
- 7 successor; requiring certain insurance companies to inspect the boilers and
- 8 pressure vessels that they insure; requiring certain insurance companies to
- 9 submit certain reports and quality assurance program information; requiring a
- person to pay certain fees to obtain or renew a special inspector commission;
- requiring owners to ensure that boilers and pressure vessels are operated,
- inspected, and repaired in accordance with certain standards; requiring certain
- repair firms to meet certain criteria and provide certain information; and
- generally relating to boiler and pressure vessel safety.
- 15 BY repealing
- 16 Article 48 Inspections
- 17 Section 170 and 174
- 18 Annotated Code of Maryland
- 19 (1994 Replacement Volume and 1997 Supplement)
- 20 BY adding to
- 21 Article 48 Inspections
- 22 Section 170, 174, 176A, 176B, and 176C
- 23 Annotated Code of Maryland
- 24 (1994 Replacement Volume and 1997 Supplement)
- 25 BY repealing and reenacting, with amendments,
- 26 Article 48 Inspections
- 27 Section 177
- 28 Annotated Code of Maryland
- 29 (1994 Replacement Volume and 1997 Supplement)

- 1 SECTION 1. BE IT ENACTED BY THE GENERAL ASSEMBLY OF
- 2 MARYLAND, That Section(s) 170 and 174 of Article 48 Inspections of the Annotated
- 3 Code of Maryland be repealed.
- 4 SECTION 2. AND BE IT FURTHER ENACTED, That the Laws of Maryland
- 5 read as follows:
- 6 Article 48 Inspections
- 7 170.
- 8 (A) THE BOARD SHALL FORMULATE AND SEND TO THE COMMISSIONER OF
- 9 LABOR AND INDUSTRY REGULATIONS FOR THE SAFE CONSTRUCTION, USE,
- 10 OPERATION, INSTALLATION, MAINTENANCE, REPAIR, AND INSPECTION OF BOILERS
- 11 AND PRESSURE VESSELS IN THE STATE.
- 12 (B) THE REGULATIONS SHALL CONFORM AS NEARLY AS POSSIBLE TO THE
- 13 FOLLOWING CODES, AS AMENDED AND INTERPRETED:
- 14 (1) THE BOILER AND PRESSURE VESSEL CODE OF THE AMERICAN
- 15 SOCIETY OF MECHANICAL ENGINEERS:
- 16 (2) THE INSPECTION CODE OF THE NATIONAL BOARD OF BOILER AND
- 17 PRESSURE VESSEL INSPECTORS:
- 18 (3) THE CODE FOR POWER PIPING, B31.1 OF THE AMERICAN SOCIETY OF
- 19 MECHANICAL ENGINEERS;
- 20 (4) THE CODE FOR CONTROLS AND SAFETY DEVICES FOR
- 21 AUTOMATICALLY FIRED BOILERS, CSD-1 OF THE AMERICAN SOCIETY OF
- 22 MECHANICAL ENGINEERS;
- 23 (5) THE CODE FOR CONTROLS AND SAFETY DEVICES, NFPA SERIES 85 OF
- 24 THE NATIONAL FIRE PROTECTION ASSOCIATION; AND
- 25 (6) THE CODE FOR CHEMICAL PLANT AND PETROLEUM REFINERY
- 26 PIPING, B31.3 OF THE AMERICAN SOCIETY OF MECHANICAL ENGINEERS.
- 27 (C) THE BOARD SHALL DETERMINE FEES FOR OBTAINING AND RENEWING A
- 28 SPECIAL INSPECTOR COMMISSION CARD.
- 29 (D) REGULATIONS FORMULATED BY THE BOARD MAY BE ADOPTED BY THE
- 30 COMMISSIONER OF LABOR AND INDUSTRY, SUBJECT TO THE APPROVAL OF THE
- 31 SECRETARY OF LABOR, LICENSING, AND REGULATION, IN THE SAME MANNER AS
- 32 REGULATIONS RECOMMENDED BY THE MARYLAND OCCUPATIONAL SAFETY AND
- 33 HEALTH ADVISORY BOARD.

1 174.

HOUSE BILL 1316

	(A) THE COMMISSIONER OF LABOR AND INDUSTRY MAY ISSUE A SPECIAL INSPECTOR COMMISSION OR A RENEWAL SPECIAL INSPECTOR COMMISSION ONLY TO AN INDIVIDUAL WHO:					
5 6	(1) IS EMPLOYED BY A PERSON LICENSED TO INSURE BOILERS AND PRESSURE VESSELS IN THE STATE;					
7 8	PRESSURE	(2) VESSEI	(I) LS IN TH	IS EMPLOYED FULL TIME BY A PERSON THAT OPERATES THE STATE;		
9 10	ARE:		(II)	IS RESI	PONSIBLE FOR INSPECTING PRESSURE VESSELS THAT	
11				1.	USED BY THE PERSON; AND	
12				2.	NOT FOR RESALE; AND	
13 14	RATED:		(III)	THE PR	ESSURE VESSELS ARE REGULARLY INSPECTED AND	
15				1.	BY AN ESTABLISHED INSPECTION SERVICE;	
16 17		ATIONS	ARE SA	2. TISFAC	UNDER THE SUPERVISION OF AN ENGINEER WHOSE FORY TO THE BOARD; AND	
18 19		IONER C	OF LABO	3. OR AND I	IN ACCORDANCE WITH REGULATIONS ADOPTED BY THE INDUSTRY; AND	
20 21	(3) REPRESENTS A PERSON COVERED BY A COLLECTIVE BARGAINING AGREEMENT IF THE INDIVIDUAL:					
22			(I)	MEETS	ALL OTHER APPLICABLE REQUIREMENTS;	
23			(II)	IS EMP	LOYED FULL TIME BY THE PERSON; AND	
24 25	ARE:		(III)	IS RESI	PONSIBLE FOR INSPECTING PRESSURE VESSELS THAT	
26				1.	USED BY THE PERSON; AND	
27				2.	NOT FOR RESALE.	
28	(B)	TO REC	CEIVE A	SPECIA	L INSPECTOR COMMISSION, AN INDIVIDUAL SHALL:	
	WRITTEN		ATION I	DETAILI	E COMMISSIONER OF LABOR AND INDUSTRY A NG THE QUALIFICATIONS OF THE INDIVIDUAL AND JIRED BY THE BOARD;	

HOUSE BILL 1316

SUBMIT TO THE COMMISSIONER OF LABOR AND INDUSTRY THE FEE (2)2 ESTABLISHED BY THE BOARD; AND (3) (I) PASS AN EXAMINATION IN ACCORDANCE WITH SUBSECTION (D) 4 OF THIS SECTION; HOLD A COMMISSION OR A CERTIFICATE OF COMPETENCY AS 6 AN INSPECTOR OF BOILERS AND PRESSURE VESSELS IN A STATE THAT HAS A 7 STANDARD OF EXAMINATION SUBSTANTIALLY EQUIVALENT TO THIS STATE; OR (III) 1. HOLD A COMMISSION AS AN INSPECTOR OF BOILERS AND 9 PRESSURE VESSELS ISSUED BY THE NATIONAL BOARD OF BOILER AND PRESSURE 10 VESSEL INSPECTORS: AND PASS THE SEGMENT OF THE MARYLAND EXAMINATION 12 THAT DIFFERS FROM THE NATIONAL EXAMINATION. UNLESS THE SPECIAL INSPECTOR COMMISSION IS RENEWED FOR A 13 (C) (1) 14 2-YEAR TERM AS PROVIDED IN THIS SECTION, A SPECIAL INSPECTOR COMMISSION 15 EXPIRES 2 YEARS AFTER THE DATE IT IS ISSUED. THE BOARD MAY DETERMINE THAT SPECIAL INSPECTOR 17 COMMISSIONS ISSUED UNDER THIS TITLE EXPIRE ON A STAGGERED BASIS. TO RECEIVE A RENEWAL SPECIAL INSPECTOR COMMISSION. AN 18 19 INDIVIDUAL SHALL SUBMIT TO THE COMMISSIONER OF LABOR AND INDUSTRY: 20 (1) THE FEE ESTABLISHED BY THE BOARD; AND 21 (2) PROOF THAT THE INDIVIDUAL HAS RECEIVED ADEQUATE TRAINING 22 ON CURRENT BOILER AND PRESSURE VESSEL TECHNOLOGY AND INSPECTION 23 TECHNIQUE; AND PROOF THAT THE INDIVIDUAL MEETS ANY OTHER REQUIREMENTS 24 (3) 25 ESTABLISHED BY THE COMMISSIONER OF LABOR AND INDUSTRY. THE EXAMINATION FOR A SPECIAL INSPECTOR COMMISSION CARD (E) (1) 26 27 SHALL BE: 28 (I) IN WRITING; 29 (II)ADMINISTERED BY THE BOARD OR A DESIGNEE OF THE BOARD; **30 AND** 31 (III)CONFINED TO QUESTIONS THAT AID THE COMMISSIONER OF 32 LABOR AND INDUSTRY IN DETERMINING THE FITNESS AND COMPETENCY OF THE 33 INDIVIDUAL FOR INSPECTING BOILERS AND PRESSURE VESSELS. THE EXAMINATION MAY BE THE EXAMINATION PREPARED BY THE 35 NATIONAL BOARD OF BOILER AND PRESSURE VESSEL INSPECTORS.

- 1 (F) (1) AN INDIVIDUAL WHO APPLIES FOR A SPECIAL INSPECTOR
- 2 COMMISSION AND WHO FAILS THE EXAMINATION MAY ASK THE BOARD FOR
- 3 ANOTHER OPPORTUNITY TO TAKE THE EXAMINATION.
- 4 (2) IF THE BOARD AGREES TO GRANT A REQUEST FOR AN EXAMINATION
- 5 UNDER PARAGRAPH (1) OF THIS SUBSECTION, THE BOARD SHALL GIVE THE
- 6 EXAMINATION WITHIN NINETY (90) DAYS OF RECEIPT OF THE REQUEST.
- 7 (G) THE RESULTS OF AN EXAMINATION SHALL BE AVAILABLE TO THE 8 INDIVIDUAL WHO TOOK THE EXAMINATION AND THE INDIVIDUAL'S EMPLOYER.
- 9 (H) IF AN INDIVIDUAL WHO HOLDS A SPECIAL INSPECTOR COMMISSION
- 10 INSPECTS A BOILER OR PRESSURE VESSEL INSURED OR OPERATED BY THE
- 11 INDIVIDUAL'S EMPLOYER, THE EMPLOYER NEED NOT PAY THE INSPECTION FEE
- 12 WITH RESPECT TO THE BOILER OR PRESSURE VESSEL.
- 13 (I) AN INDIVIDUAL WHO HOLDS A SPECIAL INSPECTOR COMMISSION MAY
- 14 NOT RECEIVE A SALARY OR REIMBURSEMENT FOR EXPENSES FROM THE STATE.
- 15 176A.
- 16 (A) THE OWNER OF A BOILER OR PRESSURE VESSEL SHALL:
- 17 (1) ENSURE THAT THE BOILER OR PRESSURE VESSEL IS OPERATED,
- 18 INSPECTED, AND REPAIRED IN ACCORDANCE WITH THIS TITLE AND ALL
- 19 REGULATIONS ADOPTED UNDER THIS TITLE; AND
- 20 (2) MAINTAIN AT A CENTRAL LOCATION AT THE FACILITY IN WHICH THE
- 21 BOILER OR PRESSURE VESSEL IS LOCATED AND MAKE AVAILABLE TO AN INDIVIDUAL
- 22 WHO INSPECTS THE BOILER OR PRESSURE VESSEL COPIES OF ALL INSPECTION,
- 23 MAINTENANCE, AND REPAIR RECORDS.
- 24 (B) (1) AFTER JANUARY 1, 1999, A PERSON THAT OWNS A BOILER OR
- 25 PRESSURE VESSEL LOCATED IN A SCHOOL, HOSPITAL, OR NURSING HOME SHALL
- 26 ENSURE THAT THE BOILER OR PRESSURE VESSEL IS OPERATED UNDER THE
- 27 DIRECTION OF AN INDIVIDUAL LICENSED BY THE BOARD OF EXAMINING ENGINEERS
- 28 OR ITS SUCCESSOR.
- 29 (2) THE BOARD SHALL FORMULATE REGULATIONS THAT DEFINE THE
- 30 EXTENT OF DIRECTION THAT MUST BE PROVIDED BY THE INDIVIDUAL LICENSED BY
- 31 THE BOARD OF EXAMINING ENGINEERS OR ITS SUCCESSOR.
- 32 176B.
- 33 (A) A PERSON THAT IS LICENSED TO INSURE BOILERS AND PRESSURE
- 34 VESSELS IN THE STATE SHALL:
- 35 (1) CONDUCT THE CERTIFICATE INSPECTION OF EACH COVERED
- 36 BOILER AND PRESSURE VESSEL THAT THE PERSON INSURES IN ACCORDANCE WITH
- 37 THIS TITLE AND REGULATIONS ADOPTED UNDER THIS TITLE; AND

HOUSE BILL 1316

SUBMIT INFORMATION REGARDING THE COMPANY'S QUALITY (2) 2 ASSURANCE PROGRAM TO THE COMMISSIONER OF LABOR AND INDUSTRY AS 3 REQUIRED BY REGULATION. IF MORE THAN ONE PERSON INSURES A BOILER OR PRESSURE VESSEL OR 5 IF AN OWNER-USER EMPLOYS AN INDIVIDUAL WITH A SPECIAL INSPECTOR 6 COMMISSION, THE PERSONS OR THE OWNER-USER: MAY AGREE TO COORDINATE INSPECTIONS TO ENSURE THAT EACH (1) 8 BOILER OR PRESSURE VESSEL IS INSPECTED: AND SHALL DOCUMENT ANY AGREEMENT TO ENSURE THAT (2) 10 RESPONSIBILITY FOR INSPECTIONS IS CLEARLY DEFINED. 11 176C. 12 (A) A PERSON THAT REPAIRS A BOILER OR PRESSURE VESSEL SHALL: PROVIDE NOTICE TO, AND RECEIVE APPROVAL FROM, AN INSPECTOR 13 (1) 14 PRIOR TO COMMENCING A REPAIR THAT: AFFECTS THE WORKING PRESSURE OR SAFETY OF A BOILER OR 15 (I)16 PRESSURE VESSEL; OR 17 (II)INVOLVES FUSION WELDING; 18 REPAIR A BOILER OR PRESSURE VESSEL IN ACCORDANCE WITH THE 19 REGULATIONS ADOPTED BY THE COMMISSIONER OF LABOR AND INDUSTRY; AND PROVIDE REPORTS, AS REQUIRED BY REGULATION, TO THE CHIEF 20 21 BOILER INSPECTOR AND THE PERSON THAT OWNS THE BOILER OR PRESSURE 22 VESSEL. 23 177. (a) THIS SUBSECTION DOES NOT APPLY TO AN OWNER-USER 24 (1) 25 INSPECTION. EACH PERSON THAT EMPLOYS AN INDIVIDUAL WITH A SPECIAL 26 27 INSPECTOR COMMISSION CARD TO INSPECT A BOILER OR PRESSURE VESSEL SHALL: WITHIN 30 DAYS AFTER THE INSPECTION, FILE A REPORT IN 28 (I) 29 THE FORMAT REOUIRED BY THE COMMISSIONER OF LABOR AND INDUSTRY ON EACH 30 CERTIFICATE INSPECTION AND EACH EXTERNAL INSPECTION REQUIRED BY STATE 31 LAW; AND IF AN INSPECTION REVEALS A HAZARDOUS CONDITION 32 (II)33 AFFECTING THE SAFETY OF A BOILER OR PRESSURE VESSEL, NOTIFY THE CHIEF 34 BOILER INSPECTOR WITHIN 24 HOURS AFTER THE INSPECTION.

HOUSE BILL 1316

[Each company employing such special inspectors except a company operating pressure vessels covered by owner or user inspection service meeting the requirements of this subtitle shall, within thirty (30) days following each certificate inspection made by such inspectors, file a report of such inspection with the Chief Boiler Inspector upon appropriate forms as promulgated by the National Board of Boiler and Pressure Vessel Inspectors. The filing of reports of external inspections shall not be required except when such inspections disclose that the boiler is in a dangerous condition.]

Each company operating pressure vessels covered by owner or user 9 10 inspection service meeting the requirements of this subtitle shall maintain in its files an inspection record which shall list, by number and such abbreviated description as may be necessary for identification, each pressure vessel covered by this subtitle, the date of the last inspection of each such unit, and for each pressure vessel the 14 approximate date for the next inspection thereof arrived at by applying the 15 appropriate rules therefor to all data available at the time such inspection record is 16 compiled. The inspection record shall be readily available for examination by the 17 Chief Inspector or his authorized representative during business hours. The company 18 shall, in addition, file annually with the Chief Inspector a statement, signed by the 19 engineer having supervision over the inspections made during the period covered 20 thereby, stating the number of vessels covered by this subtitle inspected during the 21 year and certifying that each inspection was conducted pursuant to the inspection 22 requirements provided for by this subtitle. The annual statement shall be 23 accompanied by a filing fee in accordance with the following schedule:

28 (c) If the report filed pursuant to subsection (a) of this section shows that a 29 boiler or pressure vessel complies with the rules and regulations of the Board, the Chief Boiler Inspector shall issue to the owner or user an inspection certificate bearing the date of inspection and specifying the maximum pressure under which the 32 boiler or pressure vessel may be operated. The inspection certificate shall be valid for 33 not more than 14 months from its date in the case of power boilers and high pressure, 34 high temperature water boilers and 26 months in the case of low pressure steam or 35 vapor heating boilers, hot water heating boilers or hot water supply boilers and 36 pressure vessels, except that, when the Board has granted an extension of the period 37 between certificate inspections as permitted by this subtitle, the certificate shall be 38 valid for a grace period of two months beyond the expiration date of the current 39 certificate. Certificates shall be posted under glass in the room containing the boiler 40 or pressure vessel inspected. If the boiler or pressure vessel is not located within the 41 building, the certificate shall be posted in a location convenient to the boiler or 42 pressure vessel inspected or in any place where it will be accessible to interested 43 parties.

- 1 (d) No inspection certificate issued for an insured boiler or pressure vessel
- 2 based upon a report of a special inspector shall be valid after the boiler or pressure
- 3 vessel for which it was issued shall cease to be insured by a company duly authorized
- 4 by this State to provide such insurance.
- 5 (e) The Chief Boiler Inspector or his authorized representative may at any
- 6 time suspend an inspection certificate when, in his opinion, the boiler or pressure
- 7 vessel for which it was issued cannot be operated without menace to the public safety
- 8 or when the boiler or pressure vessel is found not to comply with the rules and
- 9 regulations herein provided. Each suspension of an inspection certificate shall
- 10 continue in effect until such boiler or pressure vessel shall have been made to conform
- 11 to the rules and regulations of the Board and until such inspection certificate shall
- 12 have been reinstated.
- 13 SECTION 3. AND BE IT FURTHER ENACTED, That this Act shall take effect
- 14 June 1, 1998.