Unofficial Copy R6

By: Senator Hooper

Introduced and read first time: February 5, 1999 Assigned to: Judicial Proceedings

A BILL ENTITLED

1 AN ACT concerning

2 **School Vehicles - Use of Flashing Warning Signals** 3 FOR the purpose of authorizing school vehicle drivers to operate alternately flashing warning signals when exiting school grounds while carrying students at 4 5 dismissal time. 6 BY repealing and reenacting, with amendments, Article - Transportation 7 Section 22-228 8 Annotated Code of Maryland 9 10 (1998 Replacement Volume and 1998 Supplement) 11 SECTION 1. BE IT ENACTED BY THE GENERAL ASSEMBLY OF 12 MARYLAND, That the Laws of Maryland read as follows: 13 **Article - Transportation** 14 22-228. 15 (1)The Administrator may adopt regulations for lighting (a) (i) 16 equipment, special warning devices, markings, and identification to be used by school vehicles. 17 18 (ii) Regulations adopted under this paragraph shall be consistent 19 with the provisions of the Maryland Vehicle Law. 20 A school vehicle shall be equipped with an 8-lamp system of (2)(i) 21 alternately flashing signal lamps. 22 (ii) The equipment requirement of this paragraph applies only to: 23 Any school vehicle manufactured on or after January, 1. 24 1985, that is registered in this State; and Any school vehicle registered in this State on or after July 25 2.

26 1, 1996, regardless of its date of manufacture.

SENATE BILL 487

1 (iii) The 8-lamp safety system of alternately flashing warning lights

2 shall meet the standards contained in the SAE (Society of Automotive Engineers)

3 Standard J887 (May 1982), and shall consist of 2 amber lamps and 2 red lamps at the

4 rear of the vehicle, and 2 amber lamps and 2 red lamps at the front of the vehicle.

5 (3) A school vehicle may be equipped with a white flashing light installed 6 on the roof of the vehicle.

7 (4) School vehicles shall be marked and identified as provided in, and 8 school vehicle lighting equipment and special warning devices shall conform with, the 9 regulations adopted by the Administrator.

10 (b) Except as provided in [subsection] SUBSECTIONS (e) AND (G) of this 11 section, a person may not operate any alternately flashing warning signal on any 12 school vehicle except when the school vehicle is stopping or stopped on a roadway for 13 the purpose of receiving or discharging passengers.

14 (c) As to any school vehicle, whenever the vehicle is not being operated on a 15 highway for the transportation of children, students, or teachers for educational 16 purposes or in connection with a school activity:

17 (1) The alternately flashing warning lights shall be deactivated; and

18 (2) The words "school bus" at the front and rear of the vehicle shall be 19 covered or otherwise concealed.

20 (d) Except as otherwise provided in this section, every school vehicle driver

21 shall put in operation alternately flashing warning signals not less than 100 feet

22 before bringing the vehicle to a full stop for the purpose of receiving or discharging 23 passengers.

24 (e) (1) This subsection applies only to a school vehicle being driven on the 25 same roadway as another school vehicle in the act of loading or unloading passengers.

26 (2) Except as otherwise provided in this section, every school vehicle 27 driver shall put in operation alternately flashing warning signals when stopping, 28 after approaching from the rear or the front, within 100 feet of another school vehicle 29 in the act of loading or unloading passengers.

30 (f) (1) In this subsection, "loading zone" means an area on or adjacent to a 31 highway, but not on its roadway:

32 (i) That has been designated for the purpose of receiving or33 discharging passengers by a school vehicle; and

34 (ii) Whose location has been approved by either the superintendent

35 of schools in the local school system in which the loading is located, the Department of 36 State Police, or the local police department, in cooperation with the State Highway

37 Administration where applicable.

2

SENATE BILL 487

1 (2) It is the policy of this State to encourage the establishment and use of 2 loading zones for school vehicles.

3 (3) Where a loading zone is available, a school vehicle driver, unless 4 otherwise required for safety, may not stop on the roadway for the purpose of 5 receiving or discharging passengers, but shall use the loading zone for this purpose.

6 (G) WHEN EXITING SCHOOL GROUNDS, THE DRIVER OF A SCHOOL VEHICLE
7 CARRYING STUDENTS AT DISMISSAL MAY PUT IN OPERATION ALTERNATELY
8 FLASHING WARNING SIGNALS.

9 SECTION 2. AND BE IT FURTHER ENACTED, That this Act shall take effect 10 October 1, 1999.