SENATE BILL 22

M3 2lr4593

By: Senator Pipkin

Introduced and read first time: October 17, 2011

Assigned to: Rules

A BILL ENTITLED

1 AN ACT concerning 2 Environment - On-Site Sewage Disposal Systems 3 FOR the purpose of establishing that the State may not prohibit the installation of any on-site sewage disposal system until certain overflows at certain sewage 4 5 pumping stations are fully mitigated; and generally relating to on-site sewage 6 disposal systems. 7 BY adding to 8 Article – Environment 9 Section 9–1110 10 Annotated Code of Maryland 11 (2007 Replacement Volume and 2011 Supplement) 12 Preamble 13 WHEREAS, The State of Maryland contributes only 20% of the total nitrogen 14 load of the Chesapeake Bay; and 15 WHEREAS, Septic systems contribute only 4 to 8% of Maryland's nitrogen load; 16 and 17 WHEREAS, As a result, Maryland's septic systems contribute no more than 0.8 18 to 1.6% of the total nitrogen load of the Chesapeake Bay; and WHEREAS, Over 100 million gallons of raw sewage overflowed from the 19 Patapsco Sewage Pumping Station in Baltimore County into tributaries of the 20 21Chesapeake Bay in August and September of 2011; and 22 WHEREAS, Over 20 million gallons of raw sewage overflowed from sewage 23 pumping stations in Prince George's County into tributaries of the Chesapeake Bay in

August and September of 2011; now, therefore,

24



1	SECTION	1.	BE	IT	ENACTED	BY	THE	GENERAL	ASSEMBLY	OF
2	MARYLAND. That the Laws of Maryland read as follows:									

3 Article – Environment

- 4 **9–1110.**
- THE STATE MAY NOT PROHIBIT THE INSTALLATION OF ANY ON-SITE SEWAGE DISPOSAL SYSTEM UNTIL THE OVERFLOWS THAT OCCURRED IN AUGUST AND SEPTEMBER OF 2011 AT THE PATAPSCO SEWAGE PUMPING STATION IN BALTIMORE COUNTY AND AT SEWAGE PUMPING STATIONS IN
- 9 PRINCE GEORGE'S COUNTY ARE FULLY MITIGATED.
- SECTION 2. AND BE IT FURTHER ENACTED, That this Act shall take effect June 1, 2012.