

BY: Senator Edwards

(To be offered in the Education, Health, and Environmental  
Affairs Committee)

AMENDMENTS TO HOUSE BILL 446

(Third Reading File Bill)

AMENDMENT NO. 1

On page 1, in line 5, after “date;” insert “maintaining certain Bay Restoration Fees paid by users of wastewater facilities, onsite sewage disposal systems, and sewage holding tanks that do not discharge into or are not located within the Chesapeake Bay Watershed or the Coastal Bays Watershed;”; and in line 8, after “date;” insert “maintaining certain Bay Restoration Fees for certain buildings, groups of buildings, or nonresidential users that do not discharge wastewater into the Chesapeake Bay Watershed or the Coastal Bays Watershed;”.

AMENDMENT NO. 2

On page 3, in line 16, strike the comma and substitute “:

A. \$2.50 PER MONTH IF THE WASTEWATER  
GENERATED BY A RESIDENTIAL DWELLING IS TREATED AT A WASTEWATER  
FACILITY THAT DOES NOT DISCHARGE INTO THE CHESAPEAKE BAY  
WATERSHED OR THE COASTAL BAYS WATERSHED;

B. \$2.50 PER MONTH IF THE ONSITE SEWAGE  
DISPOSAL SYSTEM OR HOLDING TANK IS NOT LOCATED WITHIN THE  
CHESAPEAKE BAY WATERSHED OR THE COASTAL BAYS WATERSHED;

C.”;

in line 17, after “month” insert “IF THE WASTEWATER GENERATED BY A  
RESIDENTIAL DWELLING IS TREATED AT A WASTEWATER FACILITY THAT DOES

(Over)

DISCHARGE INTO THE CHESAPEAKE BAY WATERSHED OR THE COASTAL BAYS WATERSHED; AND

D. \$5.00 PER MONTH IF THE WASTEWATER ONSITE SEWAGE DISPOSAL SYSTEM OR HOLDING TANK IS LOCATED WITHIN THE CHESAPEAKE BAY WATERSHED OR THE COASTAL BAYS WATERSHED”;

in line 26, strike the comma and substitute “:

A. \$30 PER YEAR IF THE ONSITE SEWAGE DISPOSAL SYSTEM IS NOT LOCATED WITHIN THE CHESAPEAKE BAY WATERSHED OR THE COASTAL BAYS WATERSHED; OR

B.”;

in the same line, after “year” insert “IF THE ONSITE SEWAGE DISPOSAL SYSTEM IS LOCATED WITHIN THE CHESAPEAKE BAY WATERSHED OR THE COASTAL BAYS WATERSHED”;

in line 29, strike the comma and substitute “:

A. \$30 PER YEAR IF THE SEWAGE HOLDING TANK IS NOT LOCATED WITHIN THE CHESAPEAKE BAY WATERSHED OR THE COASTAL BAYS WATERSHED; AND

B.”;

and in the same line, after “year” insert “IF THE SEWAGE HOLDING TANK IS LOCATED WITHIN THE CHESAPEAKE BAY WATERSHED OR THE COASTAL BAYS WATERSHED”.

On page 4, in line 1, after “A.” insert “FOR EACH EQUIVALENT DWELLING UNIT NOT EXCEEDING 2,000 EQUIVALENT DWELLING UNITS, \$2.50 PER MONTH IF THE WASTEWATER GENERATED BY A BUILDING OR GROUP OF BUILDINGS CONTAINING MULTIPLE RESIDENTIAL DWELLINGS IS TREATED AT A WASTEWATER FACILITY THAT DOES NOT DISCHARGE INTO THE CHESAPEAKE BAY WATERSHED OR THE COASTAL BAYS WATERSHED;”

B.”;

in line 2, after “month” insert “IF THE WASTEWATER GENERATED BY A BUILDING OR GROUP OF BUILDINGS CONTAINING MULTIPLE RESIDENTIAL DWELLINGS IS TREATED AT A WASTEWATER FACILITY THAT DOES DISCHARGE INTO THE CHESAPEAKE BAY WATERSHED OR THE COASTAL BAYS WATERSHED;”

and in line 6, strike “B.” and substitute “C.”.

AMENDMENT NO. 3

On page 12, in line 26, strike the comma and substitute “I:

A. \$2.50 per month if the wastewater generated by a residential dwelling is treated at a wastewater facility that does not discharge into the Chesapeake Bay Watershed or the Coastal Bays Watershed;

B. \$2.50 per month if the onsite sewage disposal system or holding tank is not located within the Chesapeake Bay Watershed or the Coastal Bays Watershed;

C.”;

(Over)

in the same line, strike the second opening bracket; in the same line, after “month” insert “[if the wastewater generated by a residential dwelling is treated at a wastewater facility that does discharge into the Chesapeake Bay Watershed or the Coastal Bays Watershed; and

D. \$5.00 per month if the wastewater onsite sewage disposal system or holding tank is located within the Chesapeake Bay Watershed or the Coastal Bays Watershed]”;

in line 28, strike the comma and substitute “[:

A. \$30 per year if the onsite sewage disposal system is not located within the Chesapeake Bay Watershed or the Coastal Bays Watershed; or

B.”;

in the same line, strike the second opening bracket; in the same line, after “year” insert “[if the onsite sewage disposal system is located within the Chesapeake Bay Watershed or the Coastal Bays Watershed]”;

in line 30, strike the comma and substitute “[:

A. \$30 per year if the sewage holding tank is not located within the Chesapeake Bay Watershed or the Coastal Bays Watershed; and

B.”;

in the same line, strike the second opening bracket; and in the same line, after “year” insert “[if the sewage holding tank is located within the Chesapeake Bay Watershed or the Coastal Bays Watershed]”.

On page 13, in line 3, after “A.” insert “[For each equivalent dwelling unit not exceeding 2,000 equivalent dwelling units, \$2.50 per month if the wastewater generated by a building or group of buildings containing multiple residential dwellings is treated at a wastewater facility that does not discharge into the Chesapeake Bay Watershed or the Coastal Bays Watershed;

B.]”;

and in line 4, after “month” insert “[if the wastewater generated by a building or group of buildings containing multiple residential dwellings is treated at a wastewater facility that does discharge into the Chesapeake Bay Watershed or the Coastal Bays Watershed]”.