HOUSE BILL 489

 $\mathbf{E4}$

2lr2010

By: **Delegate Kipke** Introduced and read first time: February 2, 2012 Assigned to: Economic Matters

A BILL ENTITLED

1 AN ACT concerning

2 Public Safety – Boiler and Pressure Vessel Safety Inspection – Exceptions

- FOR the purpose of excluding certain pressure vessels from the requirement that each
 boiler and pressure vessel in the State be inspected, tested, and maintained in a
 safe operating condition; and generally relating to boiler and pressure vessel
 safety.
- 7 BY repealing and reenacting, without amendments,
- 8 Article Public Safety
- 9 Section 12–901(a) and (l) and 12–909(d)(1)
- 10 Annotated Code of Maryland
- 11 (2011 Replacement Volume)
- 12 BY repealing and reenacting, with amendments,
- 13 Article Public Safety
- 14 Section 12–909(a)
- 15 Annotated Code of Maryland
- 16 (2011 Replacement Volume)
- 17 SECTION 1. BE IT ENACTED BY THE GENERAL ASSEMBLY OF 18 MARYLAND, That the Laws of Maryland read as follows:
- 19Article Public Safety2012–901.21(a)In this subtitle the following words have the meanings indicated.22(l)(1) "Pressure vessel" means a vessel in which the pressure is obtained:23(i)from an external source; or

EXPLANATION: CAPITALS INDICATE MATTER ADDED TO EXISTING LAW. [Brackets] indicate matter deleted from existing law.



by the application of heat from: 1 (ii) $\mathbf{2}$ 1. an indirect source; or 3 2.a direct source other than a boiler. "Pressure vessel" does not include a pipe, piping component, or 4 (2) $\mathbf{5}$ structure whose primary function is to transport fluids. 12 - 909.6 The requirements of this section and §§ 12–910 and 12–911 of this 7 (a) subtitle do not apply to: 8 9 (1)a boiler or pressure vessel that is located on a farm and used solely 10 for agricultural purposes; 11 a heating boiler that is located in a private residence or an (2)apartment house with less than six family units; 1213 (3)a pressure vessel that: 14 (i) contains only water under pressure for domestic supply purposes, including a pressure vessel that contains air, the compression of which 15serves only as a cushion or airlift pumping system; and 16 17(ii) is located in a private residence or an apartment house with less than six family units; [or] 18 19 an exhibition or antique boiler or pressure vessel, including a (4)20steam or gas engine, wheat thresher, or antique tractor, if the boiler or pressure 21vessel: 22has been inspected and issued a certificate of inspection by (i) 23another state that has safety requirements equal to or greater than those of this State; 24and 25(ii) has been brought into this State to be used in a temporary 26exhibit or show; OR 27(5) A PRESSURE VESSEL THAT: 28**(I) OPERATES AT PRESSURES NOT EXCEEDING 140 PSIG;** 29AND

HOUSE BILL 489

2

HOUSE BILL 489

1 (II) HAS A CAPACITY NOT EXCEEDING 200 GALLONS OF 2 COMPRESSED AIR.

3 (d) (1) Except for boilers and pressure vessels exempt under subsection 4 (a) of this section or § 12–903 of this subtitle, each boiler and each pressure vessel that 5 is used or proposed to be used in the State shall be inspected, tested, and maintained 6 in a safe operating condition in accordance with the regulations adopted by the 7 Commissioner in conjunction with the Board.

8 SECTION 2. AND BE IT FURTHER ENACTED, That this Act shall take effect 9 October 1, 2012.