R6

6lr2330 CF 6lr3200

### By: Senators Mathias, Eckardt, Guzzone, and Norman Introduced and read first time: February 4, 2016 Assigned to: Judicial Proceedings

## A BILL ENTITLED

1 AN ACT concerning

# Motor Vehicles – Gross Weight and Axle Load – Poultry

- 3 FOR the purpose of exempting a certain combination of vehicles with a trailer or semitrailer 4 from certain gross weight limits under certain circumstances; establishing the gross  $\mathbf{5}$ weight limit for a certain combination of vehicles with a trailer or semitrailer that 6 are carrying poultry under certain circumstances; authorizing a certain combination 7 of vehicles with a trailer or semitrailer to have a certain axle load limit tolerance and 8 gross weight limit tolerance under certain circumstances; making stylistic changes; 9 and generally relating to gross weight and axle load for certain poultry carriers.
- 10 BY repealing and reenacting, with amendments,
- 11 Article – Transportation
- Section 24–109 12
- 13Annotated Code of Maryland
- (2012 Replacement Volume and 2015 Supplement) 14
- SECTION 1. BE IT ENACTED BY THE GENERAL ASSEMBLY OF MARYLAND, 1516 That the Laws of Maryland read as follows:
- 17

 $\mathbf{2}$ 

## **Article – Transportation**

- 24 109.18
- 19

In this section the following words have the meanings indicated. (a) (1)

20(2)"Single axle weight" means the total weight transmitted by all wheels 21whose centers may be included between 2 parallel transverse vertical planes 40 inches 22apart extending across the full width of the vehicle.

23"Tandem axle weight" means the total weight transmitted to the road (3)24by 2 or more consecutive axles whose centers may be included between parallel vertical

EXPLANATION: CAPITALS INDICATE MATTER ADDED TO EXISTING LAW. [Brackets] indicate matter deleted from existing law.



planes spaced more than 40 inches apart but not more than 96 inches apart extendingacross the full width of the vehicle.

3 (b) An over-the-road bus or any vehicle that is regularly and exclusively used as 4 an intrastate public agency passenger bus:

 $\mathbf{5}$ 

(1) Is exempt from tandem axle weight limits provided in this section; but

6 (2) Shall comply with the vehicle and combination of vehicles weight limits 7 provided in this section that are not tandem axle weight limits.

8 (c) Notwithstanding ANY OTHER PROVISION OF THIS TITLE, EXCEPT 9 SUBSECTION (G)(3) OF THIS SECTION, any other provisions of this title, the overall gross 10 weight on a group of 2 or more consecutive axles may not exceed an amount produced by 11 application of the following formula:

12		(	LN					)
13	W = 500	(		+	12N	+	36	)
14		(	N-1					)

15where "W" = overall gross weight on any group of 2 or more consecutive axles to the nearest 500 pounds, "L" = distance in feet measured horizontally between the vertical centerlines 16 of the extreme of any group of 2 or more consecutive axles, and "N" = number of axles in 1718group under consideration, except that 2 consecutive sets of tandem axles may carry a gross 19 load of 34,000 pounds each providing the overall distance between the first and last axles 20of such consecutive sets of tandem axles is 36 feet or more; provided, that such overall gross 21weight may not exceed eighty thousand (80,000) pounds, including any enforcement or 22statutory tolerances.

(d) [The] EXCEPT AS PROVIDED IN SUBSECTION (G)(3) OF THIS SECTION,
THE following table indicates the permissible overall gross weights based upon the above
formula:

26 27 28 29 30	Distance in feet between the extremes of any group of 2 or more						
31	consecutive						
32	axles	2 axles	3 axles	4 axles	5 axles	6 axles	7 axles
33	4	34,000					
34	5	34,000					
35	6	34,000					
36	7	34,000					
37	8						
38	and less	34,000	34,000				

 $\mathbf{2}$ 

$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	)
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
222857,00060,50065,50071,00076,500232957,50061,50066,00071,50077,000	
23 29 57,500 61,500 66,000 71,500 77,000	
25 31 59,000 62,500 67,500 72,500 78,000	
26 32 60,000 63,500 68,000 73,000 78,500	)
27 33 64,000 68,500 74,000 79,000	
28 34 64,500 69,000 74,500 80,000	)
29 35 65,500 70,000 75,000	
30 36 Exception:	
31 See	
32 subsection	
33 (c),	
34 this	
35 section (66,000) 70,500 75,500	
36 37 (66,500) 71,000 76,000	
37 38 (67,500) 72,000 77,000	
38   39   68,000   72,500   77,500	
39   40   68,500   73,000   78,000	
40	
41 42 70,000 74,000 79,000	
42 43 70,500 75,000 80,000	
43 44 71,500 75,500	
44 45 72,000 76,000	
45	
46 47 73,500 77,500	
47 48 74,000 78,000	

1 2	49 50	74,500 75,500 76,000	78,500 79,000
$3 \\ 4 \\ 5$	$51 \\ 52 \\ 53$	76,000 76,500 77,500	80,000
$\begin{array}{c} 6\\ 7\end{array}$	$54\\55$	78,000 78,500	
8 9	$\frac{56}{57}$	$79,500 \\ 80,000$	

10 (e) [The] EXCEPT AS PROVIDED IN SUBSECTION (G)(3) OF THIS SECTION, 11 THE gross weight of any vehicle or combination of vehicles may not exceed the following 12 limits:

13		Gross
14	Number of	weight
15	axles	(in pounds)
16	Three or less	55,000
17	Four	66,000
18	Five as provided for in § 13–916 or § 13–923 of this	
19	article	80,000

20 (f) A trailer with metal tires and a gross weight of more than 6,000 pounds may 21 not be moved on a highway.

22Except on interstate highways, a single unit vehicle with 3 axles, or a (1)(g) 23combination of vehicles with a trailer less than 32 feet long or a semitrailer less than 45 24feet long, either registered as a farm vehicle or carrying farm products as defined under 25§ 10–601 of the Agriculture Article that were loaded in fields or other off-highway locations, 26is permitted an axle load limit tolerance of [5 percent] 5% from subsections (c) and (d) of 27this section, except during harvest time when an axle load limit tolerance of [15 percent] 2815% from subsections (c) and (d) of this section is permitted for a vehicle carrying the 29following agricultural products:

- 30 (i) Wheat, for the period from June 1 to August 15;
- 31
- (ii) Corn, for the period from July 1 to December 1;
- 32 (iii) Soybeans, for the period from September 1 to December 31; and
- 33

(iv) Vegetable crops, for the period from June 1 to October 31.

34 (2) (i) Except on interstate highways, a single unit vehicle with at least 35 3 axles or a combination of vehicles with a trailer length of less than 32 feet carrying forest 36 products that have been loaded in forests or other similar off-highway locations is 37 permitted an axle load limit tolerance of [10 percent] **10%** from subsections (c) and (d) of

 $\mathbf{4}$ 

this section, except for the period from June 1 through September 30 when an axle load

1 this section, except for the period from June 1 through September 30 when an axle load 2 limit tolerance of [15 percent] **15%** from subsections (c) and (d) of this section is permitted.

3 (ii) Except on interstate highways, a combination of vehicles with a 4 semitrailer length of 45 feet or less carrying forest products that have been loaded in forests 5 or other similar off-highway locations is permitted an axle load limit tolerance of [5 6 percent] 5% from subsections (c) and (d) of this section, except for the period from June 1 7 through September 30 when an axle load limit tolerance of [15 percent] 15% from 8 subsections (c) and (d) of this section is permitted.

9 THE OVERALL GROSS WEIGHT IS 90,000 POUNDS FOR A (3) **(I)** COMBINATION OF VEHICLES WITH A TRAILER OR SEMITRAILER THAT: 10 11 1. HAS AN AXLE CONFIGURATION OF NOT LESS THAN 5 12AXLES; 132. ON AND AFTER MAY 8, 2017, HAS AXLES THAT ARE AT 14LEAST 96 INCHES APART: 153. SUBMITS TO A MOTOR CARRIER SAFETY INSPECTION 16UNDER § 25–111 OF THIS ARTICLE; 174. COMPLIES WITH ALL POSTED BRIDGE WEIGHT 18 LIMITS; 19 5. **DOES NOT USE THE INTERSTATE HIGHWAY SYSTEM;** 20**6**. IS CARRYING LIVE POULTRY FROM A FARM TO A 21**PROCESSING FACILITY; AND** 227. **DOES NOT CARRY THE LIVE POULTRY MORE THAN 150** 23MILES. 24**(II)** Α COMBINATION OF VEHICLES DESCRIBED IN 25SUBPARAGRAPH (I) OF THIS PARAGRAPH MAY HAVE AN AXLE LOAD LIMIT 26TOLERANCE OF 3% FROM SUBSECTION (C) OF THIS SECTION AND A GROSS WEIGHT

### 27 LIMIT TOLERANCE OF 3% FROM SUBPARAGRAPH (I) OF THIS PARAGRAPH.

(h) (1) Any vehicle that uses an auxiliary power unit or an idle-reduction technology unit in order to promote reduction of fuel use and emissions from engine idling shall be allowed up to an additional 550 pounds total in gross, axle, tandem, or bridge formula weight limits.

- 1 (2) To be eligible for the additional weight limit allowed under paragraph 2 (1) of this subsection, the vehicle operator must:
- 3 (i) Obtain and make available to law enforcement officers written 4 certification of the weight of the auxiliary power unit or idle–reduction technology unit; and
- 5 (ii) By demonstration or certification, prove that the idle-reduction 6 technology unit is fully functional at all times.
- 7 (3) The additional weight limit allowed under paragraph (1) of this 8 subsection may not exceed the certified weight of the auxiliary power unit or idle-reduction 9 technology unit.
- 10 SECTION 2. AND BE IT FURTHER ENACTED, That this Act shall take effect 11 October 1, 2016.