## HOUSE BILL 288

J1 HB 1194/16 – HGO

#### By: Delegate Cullison

Introduced and read first time: January 25, 2023 Assigned to: Health and Government Operations and Economic Matters

#### A BILL ENTITLED

1 AN ACT concerning

# Food Service Facilities – Automated External Defibrillator Program (Joe Sheya Act)

FOR the purpose of requiring the owner and operator of a certain food service facility to
develop and, beginning on a certain date, implement an automated external
defibrillator program that meets certain requirements; requiring the Maryland
Department of Health and the Maryland Institute for Emergency Medical Services
Systems jointly to adopt certain regulations; and generally relating to an automated
external defibrillator program for food service facilities.

- 10 BY adding to
- 11 Article Health General
- 12 Section 21–330.3
- 13 Annotated Code of Maryland
- 14 (2019 Replacement Volume and 2022 Supplement)

15 SECTION 1. BE IT ENACTED BY THE GENERAL ASSEMBLY OF MARYLAND,
 16 That the Laws of Maryland read as follows:

17

### Article – Health – General

18 **21–330.3.** 

# 19(A) THIS SECTION DOES NOT APPLY TO A FOOD SERVICE FACILITY THAT HAS20AN ANNUAL GROSS INCOME OF \$400,000 OR LESS.

(B) THE OWNER AND OPERATOR OF A FOOD SERVICE FACILITY SHALL DEVELOP AND, BEGINNING JANUARY 1, 2025, IMPLEMENT AN AUTOMATED EXTERNAL DEFIBRILLATOR PROGRAM THAT MEETS THE REQUIREMENTS OF § 13-517 OF THE EDUCATION ARTICLE.

EXPLANATION: CAPITALS INDICATE MATTER ADDED TO EXISTING LAW. [Brackets] indicate matter deleted from existing law. 3lr2480 CF 3lr2149



1(c) The Department and the Maryland Institute for Emergency2Medical Services Systems jointly shall adopt regulations that:

3 (1) ESTABLISH GUIDELINES FOR PERIODIC INSPECTIONS AND 4 ANNUAL MAINTENANCE OF THE AUTOMATED EXTERNAL DEFIBRILLATORS; AND

### 5 (2) ASSIST THE OWNER AND OPERATOR OF A FOOD SERVICE FACILITY 6 IN CARRYING OUT THE PROVISIONS OF THIS SECTION.

7 SECTION 2. AND BE IT FURTHER ENACTED, That this Act shall take effect 8 October 1, 2023.