


2018



Baltimore City Annual HIV Epidemiological Profile



Data reported through June 30, 2019



Center for HIV Surveillance, Epidemiology and Evaluation
Infectious Disease Prevention and Health Services Bureau
Prevention and Health Promotion Administration
<http://phpa.health.maryland.gov/OIDEOR/CHSE>
1-800-358-9001

Figure 7 – Trends in Reported HIV Diagnoses, Among Residents at Diagnosis Aged 13+, by Estimated Exposure Category, 1985-2018, Reported through June 30, 2019

Number and Percent by Estimated Exposure Category[§] of People Diagnosed with HIV, Age 13+ at HIV Diagnosis, by Year of HIV Diagnosis from 1985 through 2018, as Reported through June 30, 2019



Other exposure category not shown

§ Multiple imputation was used to estimate and adjust for missing exposure category.

Reported HIV Diagnoses Among People Aged 13+												
Year of HIV Diagnosis	No.	% with No Reported Exposure [‡]	Estimated Exposure Category [§]									
			MSM		IDU		MSM/IDU		HET		Other Exposure	
			No.	%	No.	%	No.	%	No.	%	No.	%
<1985	164	3.0%	94	57.3%	46	28.2%	18	10.7%	4	2.6%	2	1.2%
1985	320	3.8%	135	42.2%	125	38.9%	46	14.3%	14	4.3%	1	0.3%
1986	453	1.8%	183	40.5%	196	43.3%	48	10.6%	22	4.7%	4	0.9%
1987	568	2.6%	210	37.0%	270	47.6%	51	8.9%	34	6.0%	3	0.5%
1988	890	2.5%	258	29.0%	475	53.4%	86	9.6%	66	7.4%	5	0.6%
1989	1,144	2.1%	286	25.0%	650	56.8%	101	8.8%	98	8.6%	9	0.8%
1990	1,208	3.4%	301	24.9%	694	57.5%	102	8.5%	106	8.8%	5	0.4%
1991	1,356	3.5%	261	19.2%	849	62.6%	79	5.9%	160	11.8%	7	0.5%
1992	1,314	3.8%	223	17.0%	857	65.2%	91	6.9%	136	10.4%	7	0.5%
1993	1,228	1.9%	206	16.8%	767	62.5%	74	6.0%	179	14.6%	2	0.2%
1994	1,104	3.4%	158	14.3%	693	62.8%	44	4.0%	205	18.5%	4	0.4%
1995	1,050	3.1%	163	15.5%	626	59.6%	71	6.8%	188	17.9%	3	0.3%
1996	949	4.1%	121	12.7%	601	63.3%	49	5.2%	177	18.6%	2	0.2%
1997	1,010	6.1%	163	16.1%	597	59.1%	58	5.7%	193	19.1%	0	0.0%
1998	975	5.1%	132	13.5%	597	61.2%	50	5.1%	195	20.0%	2	0.2%
1999	893	6.7%	126	14.1%	527	59.0%	54	6.0%	187	21.0%	0	0.0%
2000	833	6.8%	124	14.8%	432	51.8%	47	5.6%	230	27.6%	1	0.1%
2001	910	7.6%	117	12.9%	517	56.8%	41	4.5%	234	25.8%	0	0.0%
2002	1,034	9.7%	163	15.8%	493	47.7%	46	4.5%	332	32.1%	0	0.0%
2003	901	9.8%	158	17.5%	427	47.4%	47	5.2%	266	29.5%	3	0.3%
2004	895	10.7%	205	22.9%	392	43.8%	29	3.3%	267	29.8%	2	0.2%
2005	931	14.4%	197	21.2%	397	42.6%	38	4.1%	299	32.1%	0	0.0%
2006	967	20.0%	195	20.1%	374	38.7%	51	5.3%	344	35.6%	3	0.3%
2007	844	20.4%	230	27.3%	291	34.5%	27	3.2%	294	34.8%	2	0.2%
2008	783	23.2%	237	30.3%	209	26.7%	25	3.1%	313	39.9%	0	0.0%
2009	599	30.2%	227	37.9%	103	17.2%	13	2.1%	257	42.9%	0	0.0%
2010	592	31.3%	235	39.7%	104	17.5%	15	2.6%	238	40.2%	0	0.0%
2011	422	24.6%	210	49.7%	59	13.9%	9	2.1%	145	34.3%	0	0.0%
2012	432	19.7%	203	47.0%	59	13.7%	7	1.6%	163	37.7%	0	0.0%
2013	367	11.2%	164	44.7%	43	11.7%	13	3.5%	146	39.8%	1	0.3%
2014	307	9.4%	160	52.2%	25	8.2%	6	2.0%	116	37.7%	0	0.0%
2015	318	4.1%	166	52.2%	35	11.0%	7	2.1%	110	34.7%	0	0.0%
2016	277	8.7%	149	53.8%	30	10.9%	9	3.1%	89	32.3%	0	0.0%
2017	227	13.7%	127	55.9%	23	9.9%	3	1.4%	75	32.8%	0	0.0%
2018	224	22.8%	126	56.3%	23	10.3%	2	0.9%	73	32.5%	0	0.0%
Total	26,489	8.9%	6,413	24.2%	12,606	47.6%	1,457	5.5%	5,955	22.5%	68	0.3%

§ Multiple imputation was used to estimate and adjust for missing transmission category.

‡Percent with no reported exposure prior to multiple imputation adjustment.

Note. Discrepancies in the table between total HIV diagnoses and the sums by exposure category are due to less than 1 percent of people missing transmission category after multiple imputation.