HARFORD COUNTY BILL NO. 24-005 AA	
Brief Title (Building Code)	
is herewith submitted to the County Council of Harford County for enrollment as being the text as passed.	s finally
CERTIFIED TRUE AND CORRECT ENROLLED //	
Council Administrator Council President	
Date Mank 19 2024 Date 3/19/24	
BY THE COUNCIL	
Read the third time.	
Passed: LSD_24-010	
Failed of Passage:	
By Order	
Act Council Administrator	
Sealed with the County Seal and presented to the County Executive for approval this 20 <sup>th</sup> Day of March 2024, at 3:00 p.m.	
Council Administrator	
BY THE EXECUTIVE  COUNTY EXECUTIVE  APPROVED: Date 3/21/24	

#### BY THE COUNCIL

This Bill No. 24-005 As Amended having been approved by the Executive and returned to the Council, becomes law on March 21, 2024.

EFFECTIVE DATE: May 20, 2024

#### **COUNTY COUNCIL**

OF

#### HARFORD COUNTY, MARYLAND

#### BILL NO. <u>24-005</u>

Introduced by		Council President	dent Vincenti at the rec	quest of	the County Executive
Legislative Da	y No. <u>24-01</u>	0		_ Date	March 19, 2024
AN AC	County Code building regu Code, the 202 Code, and the thereto; to fur	as amended; to ations the 2021 International 2021 International ther provide per	o provide that Harford International Building ( Mechanical Code, the 2 onal Swimming Pool a	County Code, the 2021 Intuind Spa of the b	ing Construction, of the Harford y shall adopt as its standard for the 2021 International Residential ternational Energy Conservation Code with certain amendments building standards; and generally faryland.
	•	By the Counc	il, <u>February 13, 2</u>	2024	
Introdu	ced read firs		oosted and public heari		
	,	·	March 12, 2024		
		at:		_	
					, Council Administrator
			PUBLIC HEARING	3	
to the Charter,	a public hear	ing was held on	March 12, 2024	, and o	cof Bill having been published according concluded on March 12, 2024.  , Council Administrator
EXPLANATION:	EXISTING LAW from existing la added to Bill by	DICATE MATTER  I. [Brackets] indicates  W. <u>Underlining</u> incommendment. Languates  It in the service of Bill by	e matter deleted licates language ge lined through		

- 1 Section 1. Be It Enacted By The County Council of Harford County, Maryland that Chapter 82,
- 2 Building Construction, of the Harford County Code, as amended, be, and it is hereby, repealed and
- 3 reenacted, with amendments, all to read as follows:
- 4 Chapter 82. Building Construction
- 5 Article I. [2018] 2021 International Building Code
- 6 § 82-1. Adoption of [2018] 2021 International Building Code by reference.
- 7 A. The [2018] 2021 International Building Code (hereinafter referred to as the Building Code, or
- 8 code) published by the International Code Council, Inc., is hereby adopted and by reference
- 9 thereto is made a part of this chapter with the same force and effect as though set out in full
- herein, save and except such changes, amendments, revisions, deletions, subsections and/or
- additions as are specified in this chapter. If conflicts with this code, or with changes,
- amendments, revisions, deletions, subsections, and/or additions to that code are found
- elsewhere in the County Code, the most restrictive provisions shall govern.
- 14 B. At least one copy of this code and supplements thereto shall be on file and open for public use,
- examination and inspection in the office of the Director of Administration and in the office of
- the Council Administrator.
- 17 § 82-2. Modifications.
- 18 A. Definitions.
- 19 (1) As used in this code, the term "building official" means the Director of the Department
- of Inspections, Licenses and Permits or his/her designee.
- 21 (2) As used in this code, the term "Department of Building Safety" means the Department
- of Inspections, Licenses and Permits.
- 23 (3) As used in this code, the term "Harford County Hazardous Materials Team" means the
- 24 Harford County Hazardous Materials Team as created by the Harford County
- 25 Department Of Emergency Services.
- 26 (4) As used in this code, the termS "ICC Electrical Code" AND "NFPA-70" mean[s] the

1			Harford County Electrical Code, Chapter 105 (Article I, Section 105-3, et seq.) of the
2			Harford County Code.
3		(5)	As used in this code, the term "International Fuel Gas Code" means the Harford
4			County Plumbing Code, Chapter 202 (Section 202-1, et seq.) of the Harford County
5			Code.
6		(6)	As used in this code, the term "International Plumbing Code" means the Harford
7			County Plumbing Code, Chapter 202 (Section 202-1, et seq.) of the Harford County
8			Code.
9	B.	The f	following sections are changes or additions to certain sections of the [2018] 2021
10		Intern	national Building Code.
11		(1)	Subsection 101.1 is hereby amended by substituting "Harford County, Maryland" for
12			"name of jurisdiction" in the second line.
13		(2)	Subsection 101.2.1 is deleted and the following is inserted in lieu thereof:
14			"101.2.1 Appendices. Provisions in Appendix B, Board of Appeals; Appendix C,
15			Group U - Agricultural Buildings; Appendix F, Rodent Proofing; and Appendix I,
16			Patio Covers, are adopted as part of the Harford County Building Code."
17		(3)	Subsection 101.4.1 is amended by adding "reference Chapter 202 of the Harford
18			County Code." At the end of this subsection.
19		(4)	Subsection 101.4.3 is amended by adding "reference Chapter 202 of the Harford
20			County Code." At the end of this subsection.
21		(5)	Subsection 101.4.4 is deleted and the following is inserted in lieu thereof:
22			"101.4.4 Electrical. The provisions of the National Electrical Code NFPA [72] 70
23			shall apply to the installation, alteration, repair and replacement of electrical systems.
24			Reference chapter 105 of the Harford County Code."
25		(6)	Subsection 101.4.7 is amended by adding "or the Maryland Rehabilitation Code
26			(MBRC) set forth in COMAR 09.12.58" between the words "code" and "shall" in the

1		second line and by adding "The provisions of the International Existing Building Code
2		shall be applicable to all structures where construction commenced prior to March 1,
3		1968 and legally existing structures permitted on or after March 1, 1968" at the end of
4		this section.
5	(7)	Subsection 102.6 is amended by deleting "the International Property Maintenance
6		Code" starting in the fifth line.
7	(8)	Subsection 102.6.2 is amended by deleting "or International Property Maintenance
8		Code" starting in the fifth line.
9	[(9)	Subsection 103.2 is amended by adding "and the deputy building official" between the
10		words "official" and "shall" in the first line.
11	(10)	subsection 103.1 is deleted in its entirety.]
12	(9)	SUBSECTION 103.1 IS DELETED IN ITS ENTIRETY.
13	(10)	SUBSECTION 103.2 IS AMENDED BY ADDING "AND THE DEPUTY
14	BUILI	DING OFFICIAL" BETWEEN THE WORDS "OFFICIAL" AND "SHALL" IN THE
15	FIRST	LINE.
16	(11)	Subsection 103.3 is deleted and the following is inserted in lieu thereof:
17		"103.3 Deputies. In accordance with the prescribed procedures of this jurisdiction
18		and with the concurrence of the appointing authority, the Department of Building
19		Safety shall have the authority to employ the related technical officers, inspectors, plan
20		examiners and other employees. Such employees shall have powers as delegated by
21		the building official."
22	(12)	Subsection 104.6 is amended by adding a new sentence at the end of the section:
23		"Nothing in this section shall be deemed to restrict or otherwise limit the provisions of
24		Section 1-18 of the Harford County Code."
25	(13)	SUBSECTION 105.1 IS AMENDED BY ADDING "AND THE INTERNATIONAL
26		FIRE CODE" BETWEEN THE WORDS "CODE" AND "OR" IN THE SIXTH

1	LIN	IE.
2	[(13)](14)	Subsection 105.1.1 is deleted.
3	[(14)](15)	Subsection 105.1.2 is deleted.
4	[(15)](16)	Subsection 105.2 is amended by deleting subheadings "Electrical", "Gas",
5	"Me	echanical" and "Plumbing" and by amending subheading "building" by adding and
6	mod	lifying the following sub-items:
7	"1.	The provisions of this code shall not apply to residential accessory structures
8		not more than one story in height and are 200 square feet or less in area and are
9		not classified as use Group H, High Hazard.
10	9.	PREFABRICATED AND ONGROUND STORABLE RESIDENTIAL
11		SWIMMING POOLS ACCESSORY TO A GROUP R-3 OR ONE AND
12		TWO FAMILY DWELLING THAT ARE LESS THAN 24 INCHES
13	(610	0MM) DEEP, ARE NOT GREATER THAN 5,000 GALLONS (18 925 L) AND
14		ARE INSTALLED ENTIRELY ABOVE GROUND.
15	14.	The provisions of this code shall not apply to the construction, alteration or
16		modification of an agricultural building, as defined in Section 202 and as
17		identified in Appendix C, Subsection C101.1. A legally existing agricultural
18		building shall not be considered as a 'change of occupancy' that requires a
19		building permit if the subordinate use is in accordance with the limitations set
20		forth in Sections 302.2, 302.2.1 and any code sections referenced therein of the
21		2003 International Building Code. The provisions of this code shall also not
22		apply to an agricultural use area located within an agricultural building on the
23		level of exit discharge, not greater than 3,000 square feet in area, and the
24		agricultural use area does not exceed the tabular values in Table 503 for the
25		allowable height or area of such use.
26	15.	One story detached accessory structures to use Group R-3, provided the floor

4

1	area does no	ot exceed 200 square feet.
2	2 16. The provisi	sions of this code respecting agricultural building permit
3	requirements	ts shall be as set forth in the attached table entitled 'Agricultural
4	Buildings Pe	ermitting Requirements.'
5	5 17. Construction	n trailers as defined in Chapter 2 of the International Building Code
6	as adopted.	
7	7 18. An agricultu	ural building whose public assembly area is less than 1,500 square
8	feet, without	t a commercial kitchen, and where public assembly is on a level of
9	exit discharg	ge and complies with the Maryland State Fire Prevention Code."
10	) 19. REPLASTE	ERING OR RESURFACING OF AN EXISTING POOL OR SPA.
11	[(16)](17) Subsection 1	105.2.2 is deleted and the following is inserted in lieu thereof:
12	"105.2.2 Repairs.	Application or notice to the building official is not required for
13	ordinary repairs to s	structures. Such repairs shall not include the cutting away of any
14	wall, partition or por	rtion thereof, the removal or cutting of any structural beam or load-
15	bearing support, or	r the removal or change of any required means of egress, or
16	rearrangement of pa	arts of a structure affecting the egress requirements, or other work
17	affecting public heal	alth or general safety."
18	[(17)](18) New subsect	tion 105.2.3 is added as follows:
19	"105.2.3 Public Ser	rvice Agencies. A permit shall not be required for the installation,
20	alteration or repair o	of generation, transmission, distribution or metering or other related
21	equipment that is u	under the ownership and control of public service agencies by
22	established right."	
23	[(18)](19) Subsection 1	105.3 is amended by adding "or electronically" after the word
24	"writing" in the seco	ond line.
25	[(19)](20) Subsection 1	105.5 is amended by deleting "180 days" in the third line and
26	inserting "12 months	s" in lieu thereof.

1	[(20)](21) New Subsection 105.6.1 is added as follows:
2	"105.6.1 Withholding permits. The building official may withhold the issuance of any
3	permit and/or place a hold on inspections if the applicant, the owner or any individual
4	listed on the application as a responsible officer (if the applicant is a business entity)
5	has failed to remedy or correct any existing/alleged violation of the Harford County
6	Code on any construction project in Harford County for which the applicant has been
7	cited by any County agency."
8	[(21)](22) New Subsection 105.8 is added as follows:
9	"105.8 Transfer of permits. When a change of ownership occurs for a property for
10	which a building permit application has been made or a permit has been issued, the
11	application or permit may be transferred to the new property owner after submission to
12	the County of evidence of the transfer of ownership."
13	[(22)](23) Subsection 106.1 is deleted and the following is inserted in lieu thereof:
14	"106.1 Live Loads Posted. In commercial or industrial buildings, for each floor or
15	portion thereof designed for live loads exceeding 50 psf (2.40kn/m²) the building
16	official shall have the authority to require such design live loads to be conspicuously
17	posted by the owner or the owner's authorized agent in that part of each story in
18	which they apply, using durable signs. It shall be unlawful to remove or deface such
19	notices."
20	[(23)](24) Subsection 107.3.2 is amended by deleting the phrase "within 180 days after
21	the effective date of this code and has not been abandoned." Beginning in the sixth
22	line and inserting the following in lieu thereof: "and the permit has not expired in
23	accordance with section 105.5."
24	[(24)](25) Subsection 109.2 is deleted and the following is inserted in lieu thereof:
25	"109.2 Schedule of permit fees. On buildings, structures, mechanical systems or
26	alterations requiring a permit, a fee for each permit shall be paid as required, in

1	accordance with Chapter 157 of the Harford County Code."
2	[(25)](26) Subsection 109.3 is amended by deleting the last two sentences: "if, in the
3	opinion of the building official, the valuation is underestimated on the application, the
4	permit shall be denied, unless the applicant can show detailed estimates to meet the
5	approval of the building official. Final building permit valuation shall be set by the
6	building official."
7	[(26)](27) Subsection 109.4 is deleted and the following is inserted in lieu thereof:
8	"109.4 Work Commencing Before Permit Issuance. Any person who commences
9	any work on a building or structure before obtaining the necessary permits shall be
10	subject to a fee established by the building official that shall be in addition to the
11	required permit fees unless waived by the building official pursuant to established
12	policy."
13	[(27)](28) Subsection 109.6 is deleted and the following is inserted in lieu thereof:
14	"109.6 Refunds. Refunds shall be administered in accordance with chapter 157 of the
15	Harford County Code."
16	[(28)](29) New Subsection 110.1.1 is added as follows:
17	"110.1.1 Purpose of inspections. All inspections conducted by the Department of
18	Inspections, Licenses and Permits are performed for the protection and promotion of
19	public safety, health and welfare. The inspections are made solely for the public
20	benefit and are not to be construed as providing any warranty of construction to
21	individual members of the public."
22	[(29)](30) New Subsection 110.3.[12]13 is added as follows:
23	"110.3.[12]13 Hazardous materials inspections. As deemed necessary by the
24	building official, approval from the Harford County Hazardous Materials Team may
25	be required prior to a certificate of occupancy being issued."
26	[(30)](31) New Subsection 110.7 is added as follows:

1	110.7 Standards. An buildings, structures and appurtenances mereto shan be
2	constructed strictly in compliance with accepted engineering practice. All members
3	and components of the structure shall be installed, fitted or fastened, moved or stored
4	in such a manner that the full structural capabilities of the members are obtained.
5	Improper alignment (level and square), fitting, fastening or methods of construction
6	shall be considered a violation of this code."
7	[(31)](32) Subsection 111.2 is amended by deleting the phrase "or other laws that are
8	enforced by the department of building safety," in the third line and inserting the
9	following in lieu thereof: "and is satisfied that the work conforms to the requirements
10	of all other applicable laws,".
11	[(32)](33) Subsection 111.3 is amended by adding the following at the end of the
12	Subsection: "Any person, firm or corporation engaged in the process of selling
13	property in which a temporary certificate of occupancy is issued shall at the time of
14	settlement present to the buyer a copy of the temporary certificate of occupancy which
15	must include a list of deficiencies that remain to be corrected."
16	[(33)](34) Subsection 112.1 is amended by deleting the phrase "this code" in the third line
17	and inserting the following in lieu thereof: "the Department of Building Safety".
18	[(34)](35) Subsection 112.3 is amended by deleting the phrase "this code" in the fourth
19	line and inserting the following in lieu thereof: "The Department of Building Safety".
20	[(35)](36) Subsection 113.2 is amended by adding the following between the words
21	"apply" and "or" in the fifth line: ", the Department of Building Safety has made an
22	incorrect determination that a structure or equipment within a structure is unsafe, THE
23	STRUCTURE IS UNFIT FOR HUMAN OCCUPANCY OR THE STRUCTURE
24	HAS BEEN DECLARED AS DANGEROUS in accordance with Section 116 of this
25	code".
26	[(36)](37) Subsection 114.4 is amended by deleting the phrase "shall be subject to

1		penalties as prescribed by law" in the last line and inserting the following in lieu
2		thereof: "shall be guilty of a misdemeanor, punishable by a fine of not more than
3		\$1,000 or by imprisonment not exceeding 90 days, or both such fine and
4		imprisonment. Each day that a violation continues shall be deemed a separate
5		offense."
6	(38)	NEW SUBSECTION 116.1.1 IS ADDED AS FOLLOWS:
7		116.1.1 STRUCTURE UNFIT FOR HUMAN OCCUPANCY.
8		A STRUCTURE IS UNFIT FOR HUMAN OCCUPANCY WHENEVER THE
9		CODE OFFICIAL FINDS THAT SUCH STRUCTURE IS UNSAFE, UNLAWFUL
10		OR, BECAUSE OF THE DEGREE TO WHICH THE STRUCTURE IS IN
11		DISREPAIR OR LACKS MAINTENANCE, IS INSANITARY, VERMIN OR RAT
12		INFESTED, CONTAINS FILTH AND CONTAMINATION, OR LACKS
13		VENTILATION, ILLUMINATION, SANITARY OR HEATING FACILITIES OR
14		OTHER ESSENTIAL EQUIPMENT REQUIRED BY CHAPTERS 82, 105 AND 202
• •		
15		OF THE COUNTY CODE.
	(39)	OF THE COUNTY CODE.  NEW SUBSECTION 116.1.2 IS ADDED AS FOLLOWS:
15	(39)	
15 16	(39)	NEW SUBSECTION 116.1.2 IS ADDED AS FOLLOWS:
15 16 17	(39)	NEW SUBSECTION 116.1.2 IS ADDED AS FOLLOWS: 116.1.2 DANGEROUS STRUCTURE.
15 16 17 18	(39)	NEW SUBSECTION 116.1.2 IS ADDED AS FOLLOWS:  116.1.2 DANGEROUS STRUCTURE.  FOR THE PURPOSE OF THIS CODE, ANY STRUCTURE THAT HAS ANY OR
15 16 17 18 19	(39)	NEW SUBSECTION 116.1.2 IS ADDED AS FOLLOWS:  116.1.2 DANGEROUS STRUCTURE.  FOR THE PURPOSE OF THIS CODE, ANY STRUCTURE THAT HAS ANY OR ALL OF THE CONDITIONS OR DEFECTS DESCRIBED AS FOLLOWS SHALL
15 16 17 18 19 20	(39)	NEW SUBSECTION 116.1.2 IS ADDED AS FOLLOWS:  116.1.2 DANGEROUS STRUCTURE.  FOR THE PURPOSE OF THIS CODE, ANY STRUCTURE THAT HAS ANY OR ALL OF THE CONDITIONS OR DEFECTS DESCRIBED AS FOLLOWS SHALL BE CONSIDERED TO BE DANGEROUS:
15 16 17 18 19 20 21	(39)	NEW SUBSECTION 116.1.2 IS ADDED AS FOLLOWS:  116.1.2 DANGEROUS STRUCTURE.  FOR THE PURPOSE OF THIS CODE, ANY STRUCTURE THAT HAS ANY OR ALL OF THE CONDITIONS OR DEFECTS DESCRIBED AS FOLLOWS SHALL BE CONSIDERED TO BE DANGEROUS:  1. ANY DOOR, AISLE, PASSAGEWAY, STAIRWAY, EXIT OR OTHER MEANS
15 16 17 18 19 20 21 22	(39)	NEW SUBSECTION 116.1.2 IS ADDED AS FOLLOWS:  116.1.2 DANGEROUS STRUCTURE.  FOR THE PURPOSE OF THIS CODE, ANY STRUCTURE THAT HAS ANY OR ALL OF THE CONDITIONS OR DEFECTS DESCRIBED AS FOLLOWS SHALL BE CONSIDERED TO BE DANGEROUS:  1. ANY DOOR, AISLE, PASSAGEWAY, STAIRWAY, EXIT OR OTHER MEANS OF EGRESS THAT DOES NOT CONFORM TO THE APPROVED BUILDING OR
15 16 17 18 19 20 21 22 23	(39)	NEW SUBSECTION 116.1.2 IS ADDED AS FOLLOWS:  116.1.2 DANGEROUS STRUCTURE.  FOR THE PURPOSE OF THIS CODE, ANY STRUCTURE THAT HAS ANY OR ALL OF THE CONDITIONS OR DEFECTS DESCRIBED AS FOLLOWS SHALL BE CONSIDERED TO BE DANGEROUS:  1. ANY DOOR, AISLE, PASSAGEWAY, STAIRWAY, EXIT OR OTHER MEANS OF EGRESS THAT DOES NOT CONFORM TO THE APPROVED BUILDING OR FIRE CODE OF THE JURISDICTION AS RELATED TO THE REQUIREMENTS

1	OR OTHERWISE UNSAFE AS TO NOT PROVIDE SAFE AND ADEQUATE
2	MEANS OF EGRESS.
3	3. ANY PORTION OF A BUILDING, STRUCTURE OR APPURTENANCE THAT
4	HAS BEEN DAMAGED BY FIRE, EARTHQUAKE, WIND, FLOOD,
5	DETERIORATION, NEGLECT, ABANDONMENT, VANDALISM OR BY ANY
6	OTHER CAUSE TO SUCH AN EXTENT THAT IT IS LIKELY TO PARTIALLY
7	OR COMPLETELY COLLAPSE, OR TO BECOME DETACHED OR
8	DISLODGED.
9	4. ANY PORTION OF A BUILDING, OR ANY MEMBER, APPURTENANCE OR
10	ORNAMENTATION ON THE EXTERIOR THEREOF THAT IS NOT OF
11	SUFFICIENT STRENGTH OR STABILITY, OR IS NOT SO ANCHORED,
12	ATTACHED OR FASTENED IN PLACE SO AS TO BE CAPABLE OF
13	RESISTING NATURAL OR ARTIFICIAL LOADS OF ONE AND ONE-HALF
14	THE ORIGINAL DESIGNED VALUE.
15	5. THE BUILDING OR STRUCTURE, OR PART OF THE BUILDING OR
16	STRUCTURE, BECAUSE OF DILAPIDATION, DETERIORATION, DECAY,
17	FAULTY CONSTRUCTION, THE REMOVAL OR MOVEMENT OF SOME
18	PORTION OF THE GROUND NECESSARY FOR THE SUPPORT, OR FOR ANY
19	OTHER REASON, IS LIKELY TO PARTIALLY OR COMPLETELY COLLAPSE,
20	OR SOME PORTION OF THE FOUNDATION OR UNDERPINNING OF THE
21	BUILDING OR STRUCTURE IS LIKELY TO FAIL OR GIVE WAY.
22	6. THE BUILDING OR STRUCTURE, OR ANY PORTION THEREOF, IS
23	UNSAFE FOR ITS USE AND OCCUPANCY.
24	7. THE BUILDING OR STRUCTURE IS NEGLECTED, DAMAGED,
25	DILAPIDATED, UNSECURED OR ABANDONED SO AS TO BECOME AN
26	ATTRACTIVE NUISANCE TO CHILDREN WHO MIGHT PLAY IN THE

1	BUILDING OR STRUCTURE TO THEIR DANGER, BECOMES A HARBOR FOR
2	VAGRANTS OR CRIMINALS, OR ENABLES PERSONS TO RESORT TO THE
3	BUILDING OR STRUCTURE FOR COMMITTING A NUISANCE OR AN
4	UNLAWFUL ACT.
5	8. ANY BUILDING OR STRUCTURE HAS BEEN CONSTRUCTED, EXISTS, OR
6	IS MAINTAINED IN VIOLATION OF ANY SPECIFIC REQUIREMENT OR
7	PROHIBITION APPLICABLE TO SUCH BUILDING OR STRUCTURE
8	PROVIDED BY THE APPROVED BUILDING OR FIRE CODE OF THE
9	JURISDICTION, OR OF ANY LAW OR ORDINANCE TO SUCH AN EXTENT AS
10	TO PRESENT EITHER A SUBSTANTIAL RISK OF FIRE, BUILDING
11	COLLAPSE OR ANY OTHER THREAT TO LIFE AND SAFETY.
12	9. A BUILDING OR STRUCTURE, USED OR INTENDED TO BE USED FOR
13	DWELLING PURPOSES, BECAUSE OF INADEQUATE MAINTENANCE,
14	DILAPIDATION, DECAY, DAMAGE, FAULTY CONSTRUCTION OR
15	ARRANGEMENT, INADEQUATE LIGHT, VENTILATION, MECHANICAL OR
16	PLUMBING SYSTEM, OR OTHERWISE, IS DETERMINED BY THE CODE
17	OFFICIAL TO BE UNSANITARY, UNFIT FOR HUMAN HABITATION OR IN
18	SUCH A CONDITION THAT IS LIKELY TO CAUSE SICKNESS OR DISEASE.
19	10. ANY BUILDING OR STRUCTURE, BECAUSE OF A LACK OF SUFFICIENT
20	OR PROPER FIRE-RESISTANCE-RATED CONSTRUCTION, FIRE
21	PROTECTION SYSTEMS, ELECTRICAL SYSTEM, FUEL CONNECTIONS,
22	MECHANICAL SYSTEM, PLUMBING SYSTEM OR OTHER CAUSE, IS
23	DETERMINED BY THE CODE OFFICIAL TO BE A THREAT TO LIFE OR
24	HEALTH.
25	11. ANY PORTION OF A BUILDING REMAINS ON A SITE AFTER THE
26	DEMOLITION OR DESTRUCTION OF THE BUILDING OR STRUCTURE OR

1		WHENEVER ANY BUILDING OR STRUCTURE IS ABANDONED SO AS TO
2		CONSTITUTE SUCH BUILDING OR PORTION THEREOF AS AN
3		ATTRACTIVE NUISANCE OR HAZARD TO THE PUBLIC.
4	(40)	NEW SUBSECTION 116.1.3 IS ADDED AS FOLLOWS:
5		116.1.3 CLOSING OF VACANT STRUCTURES.
6		IF THE STRUCTURE IS VACANT AND UNFIT FOR HUMAN HABITATION
7		AND OCCUPANCY, AND IS NOT IN DANGER OF STRUCTURAL COLLAPSE,
8		THE CODE OFFICIAL IS AUTHORIZED TO POST A PLACARD OF
9		CONDEMNATION ON THE PREMISES AND ORDER THE STRUCTURE TO BE
10		SECURED AND SEALED SO AS NOT TO BE AN ATTRACTIVE NUISANCE.
11		UPON FAILURE OF THE OWNER OR OWNER'S AUTHORIZED AGENT TO
12		SECURE AND SEAL THE PREMISES WITHIN THE TIME SPECIFIED IN THE
13		ORDER, THE CODE OFFICIAL SHALL CAUSE THE PREMISES TO BE
14		SEALED AND SECURED THROUGH ANY AVAILABLE PUBLIC AGENCY OR
15		BY CONTRACT OR ARRANGEMENT BY PRIVATE PERSONS AND THE COST
16		THEREOF SHALL BE CHARGED AGAINST THE REAL ESTATE UPON
17		WHICH THE STRUCTURE IS LOCATED AND SHALL BE A LIEN UPON SUCH
18		REAL ESTATE AND SHALL BE COLLECTIBLE IN THE SAME MANNER AS
19		REAL PROPERTY TAXES WITH THE SAME PRIORITY, INTEREST AND
20		PENALTIES.
21		116.1.3.1 AUTHORITY TO DISCONNECT SERVICE UTILITIES.
22		THE CODE OFFICIAL SHALL HAVE THE AUTHORITY TO AUTHORIZE
23		DISCONNECTION OF UTILITY SERVICE TO THE BUILDING, STRUCTURE
24		OR SYSTEM REGULATED BY CHAPTERS 82,105 AND 202 OF THE HARFORD
25		COUNTY CODE IN CASE OF EMERGENCY WHERE NECESSARY TO
26		ELIMINATE AN IMMEDIATE HAZARD TO LIFE OR PROPERTY OR WHERE

1	SUCH UTILITY CONNECTION HAS BEEN MADE WITHOUT APPROVAL.
2	THE CODE OFFICIAL SHALL NOTIFY THE SERVING UTILITY AND,
3	WHENEVER POSSIBLE, THE OWNER OR OWNER'S AUTHORIZED AGENT
4	AND OCCUPANT OF THE BUILDING, STRUCTURE OR SERVICE SYSTEM OF
5	THE DECISION TO DISCONNECT PRIOR TO TAKING SUCH ACTION. IF NOT
6	NOTIFIED PRIOR TO DISCONNECTION THE OWNER, OWNER'S
7	AUTHORIZED AGENT OR OCCUPANT OF THE BUILDING STRUCTURE OR
8	SERVICE SYSTEM SHALL BE NOTIFIED IN WRITING AS SOON AS
9	PRACTICAL THEREAFTER.
10	[(37)](41) Subsection 116.3 is deleted and the following is inserted in lieu thereof:
11	"116.3 Notice. If an unsafe condition, A STRUCTURE UNFIT FOR HUMAN
12	OCCUPANCY, AND/OR A DANGEROUS STRUCTURE IS FOUND, the building
13	official shall serve on the owner, agent or person in control of the structure, a written
14	notice of violation that describes the condition deemed unsafe, UNFIT FOR HUMAN
15	OCCUPANCY AND/OR DANGEROUS and [specifies]SPECIFY the required repairs
16	or improvements to be made to abate the [unsafe]CITED condition or to demolish the
17	unsafe structure within a (specified period of) stipulated time.
18	Unless the person served with an order makes a timely request for a hearing pursuant
19	to Section 116.7, the order becomes a final order on the eleventh day after service.
20	If a person who has been issued an order under this section makes a timely request for
21	a hearing, i.e., requests a hearing within 10 days from service in accordance with
22	Section 116.7, and the Board of Appeals affirms the order following the hearing, the
23	order shall become a final corrective order."
24	[(38)](42) Subsection 116.4 is amended by inserting the phrase ", first class" in the [third]
25	FIRST line OF ITEM 2 after the word "certified".
26	[(39)](43) Subsection 116.5 is amended by adding the following between the words "of"

1	and "the" in the last line: "section 105.2.2 and".
2	[(40)](44) New Subsection 116.6 is added as follows:
3	"116.6 Abatement. If a person who has been issued an order under this section fails
4	within the time limit specified in a notice of violation or order, to abate the unsafe
5	condition as directed, the Department of Building Safety may take whatever abatemen
6	action that may be necessary by use of County employees and equipment and/or by
7	contract with private contractors. The cost and expense of abating the unsafe condition
8	shall be certified by the Department of Building Safety to the County Treasure
9	together with the name of the owner of the property on which the violation occurred as
10	determined from the property tax assessment records. These charges shall constitute a
11	lien upon the real property and shall be collectible in the same manner as real property
12	taxes with the same priority, interest and penalties. Initiation of abatement action shall
13	not preclude the commencement of any other action or legal proceedings authorized or
14	permitted under this code, the laws of the State of Maryland and the common law."
15	[(41)](45) New Subsection 116.6.1 is added as follows:
16	"116.6.1 Notice of abatement action. The Department of Building Safety, before or
17	within 10 days after commencement of any abatement action under Section 116, shall
18	issue a notice of abatement action to the owner of the property on which the abatemen
19	action has been or will be commenced. The notice shall describe the abatement action
20	to be undertaken, shall specify that the costs for the action shall constitute a lien on the
21	real property of the owner and shall inform the owner of the right to a hearing under
22	Section 116.7.
23	A notice of abatement action issued by the Department of Building Safety shall be
24	served as provided for by Subsection 116.4 of this code."
25	[(42)](46) New Subsection 116.7 is added as follows:
26	"116.7 Hearing.

1	116.7.1 Hearing for notice of violation. The property owner, agent or person in
2	control receiving a notice of violation issued under Subsection 116.3 may request a
3	hearing before the Board of Appeals within 10 days from the receipt or posting of such
4	notice issued by the Department of Building Safety. The request must be in writing
5	and served personally on the Director of the Department of Building Safety or by
6	certified mail, return receipt requested, bearing a postmark from the United States
7	Postal Service."
8	[(43)](47) New Subsection 116.7.2 is added as follows:
9	"116.7.2 Hearing for notice of abatement. The property owner, agent or person in
10	control receiving a notice of abatement issued under Subsection 116.6.1 may request a
11	hearing within 10 days from the receipt or posting of such notice. The request must be
12	in writing and served personally upon the Director of Administration or by certified
13	mail, return receipt requested, bearing a postmark from the United States Postal
14	Service."
15	[(44)](48) New Subsection 116.8 is added as follows:
16	"116.8 Finality of lien. Unless a person served with a notice of abatement makes a
17	timely request for a hearing pursuant to Subsection 116.7, the lien shall become final
18	on the property upon completion of the work. If a person makes a timely request for a
19	hearing, any lien on the property shall become final after completion of all the work
20	the Director of Administration determines was properly conducted by way of
21	abatement action."
22	[(45)](49) New Subsection 116.9 is added as follows:
23	"116.9 Unauthorized tampering. Signs, placards, notices or other postings affixed
24	by the building official under Section 116 shall not be mutilated, destroyed or
25	tampered with, or removed without authorization from the building official."
26	[(46)](50) New Section 117 is added as follows:

# 

#### "SECTION 117.

#### **EMERGENCY MEASURES**

117.1 Imminent danger. When, in the opinion of the building official, there is imminent danger of failure or collapse of a building or structure or any part thereof which endangers life, or when any structure or part of a structure has fallen and life is endangered by the occupation of the building or structure, the building official is hereby authorized and empowered to order and require the occupants to vacate the same forthwith. The building official shall post at each entrance of such structure a notice reading as follows: 'This structure is unsafe and its occupancy has been prohibited by the building official. It shall be unlawful for any person to enter such structure except for the purpose of making the required repairs or of demolishing the same.'

117.2 Temporary safeguards. When, in the opinion of the building official, there is

117.2 Temporary safeguards. When, in the opinion of the building official, there is imminent danger due to an unsafe condition, the building official may cause the necessary work to be done to render such structure temporarily safe, whether or not the legal procedure herein described has been instituted.

117.3 Closing streets. When necessary for public safety, the building official shall temporarily close structures and close, or order the authority having jurisdiction to close, sidewalks, streets, public ways and places adjacent to unsafe structures and prohibit the same from being used.

117.4 Emergency repairs. For the purposes of this section, the building official shall employ the necessary labor and materials to perform the required work as expeditiously as possible.

117.5 Costs of emergency repairs. Costs incurred in the performance of emergency work shall be paid from the treasury of the jurisdiction on approval of the building official, and notice of the amount shall be mailed by certified, registered or first class

1	man to the property owner, agent or person in control of the property or, it man
2	delivery is unsuccessful, shall be posted in a conspicuous place on the property. The
3	person to whom the notice is directed shall have 10 days from receipt or posting of the
4	notice to request a hearing by submitting the request, in writing, either personally upon
5	the Director of Administration or by certified mail, return receipt requested, bearing a
6	postmark from the United States Postal Service. The cost of emergency repairs shall
7	be a lien upon the real property and shall be collectible in the same manner as real
8	property taxes with the same priority, interest and penalties. If a person makes a timely
9	request for a hearing, any lien on the property shall become final after the Director of
10	Administration determines that the emergency work was properly conducted.
11	117.6 Unsafe equipment. Equipment deemed unsafe by the building official shall not
12	be operated after the date stated in the written notice unless the required repairs or
13	changes have been made and the equipment has been approved, or unless an extension
14	of time has been secured from the building official in writing.
15	117.6.1 Authority to seal equipment. In the case of an emergency, the building
16	official shall have the authority to immediately seal out of service any unsafe device or
17	equipment regulated by this code.
18	117.6.2 Unlawful to remove seal. Any device or equipment sealed out of service by
19	the building official shall be plainly identified in an approved manner. The
20	identification shall not be tampered with, defaced or removed except by the building
21	official and shall indicate the reason for such sealing."
22	[(47)](51) Section 202 is amended by deleting the definition of "agricultural, building"
23	and inserting the following in lieu thereof:
24	"AGRICULTURAL, BUILDING. A structure located on land zoned agricultural
25	which is designed and constructed to house farm implements, hay, grain, poultry,
26	livestock or other horticultural products. This structure shall not be a place of human

1	resid	ence."
2	[(48)](52)	Section 202 is amended by adding the following definition between the terms
3	"con	struction documents" and "construction types":
4	"CO	NSTRUCTION TRAILER. A single unit industrialized building that meets all
5	of th	e following criteria:
6	1.	Has a body width of no more than 12 feet and has a body length not to exceed
7		60 feet;
8	2.	The unit must be placed on an active construction site and removed within 30
9		days of the completion of the construction;
10	3.	The unit shall not be open to the public and shall be for the exclusive use of the
11		on-site contractors to conduct necessary business or to store construction
12		materials related to the construction project; and
13	4.	All applicable electrical and plumbing installations have approved temporary
14		permits and have received appropriate inspections and occupancy approvals."
15	[(49) Secti	on 202 is amended by adding the following definition between the terms "potable
16	wate	r" and "precast concrete":
17	"PO	WER SAFETY COVER. A pool cover that is placed over the water area and is
18	open	ed and closed with a motorized mechanism activated by a control switch."
19	(50) Secti	on 202 is amended by adding the following definition between the terms "public
20	sewe	r" and "public water main":
21	"PU	BLIC SWIMMING POOL. A pool other than a residential pool that is intended
22	to be	used for swimming or bathing and is operated by an owner, lessee, operator,
23	licen	see or concessionaire, regardless of whether a fee is charged for use."
24	(51) Secti	on 202 is amended by adding the following definitions between the terms
25	"rero	ofing" and "return air":
26	"RE	SIDENTIAL. As used in section 3109 of this code, residential applies to 18
		10

1		detached one- and two-family dwellings and townhomes not more than 3 stories in
2		height.
3		RESIDENTIAL SWIMMING POOL (RESIDENTIAL POOL). A pool intended
4		for use which is accessory to a residential setting and available only to the household
5		and its guests. All other pools shall be considered public pools for the purposes of this
6		code."
7	(52)	Section 202 is amended by adding the following definition between the terms "running
8		board" and "sanitary sewer":
9		"SAFETY COVER. A structure, fabric or assembly, along with attendant
10		appurtenances and anchoring mechanisms, that is temporarily placed or installed over
11		an entire pool, spa or hot tub and secured in place after all bathers are absent from the
12		water."
13	(53)	Section 202 is amended by adding the following definition between the terms "solid
14		masonry" and "spline":
15		"SPA. A product intended for the immersion of persons in temperature-controlled
16		water circulated in a closed system, and not intended to be drained and filled with each
17		use. A spa usually includes a filter, an electric, solar or gas heater, a pump or pumps
18		and a control, and can also include other equipment such as lights, blowers and water-
19		sanitizing equipment."]
20	(53)	SUBSECTION 308.5.1 IS AMENDED BY ADDING THE FOLLOWING
21		EXCEPTION:
22		<b>EXCEPTION:</b> A CHILDCARE FACILITY MAY BE CLASSIFIED AS I-4 WHEN
23		THE FACILITY IS CLASSIFIED AS A DAY CARE OCCUPANCY UNDER THE
24		STATE FIRE PREVENTION CODE."
25	(54)	SUBSECTION 406.2.7 IS AMENDED BY DELETING "SECTION 1108" AND
26		REPLACING WITH "THE MARYLAND ACCESSIBILITY CODE COMAR

1	09.12.53
2	(55) SUBSECTION 411.4 IS AMENDED DELETING ITEM 3 AND REPLACING
3	WITH THE FOLLOWING:
4	3. ALL EXITS AND EXIT ACCESS DOORS FROM EACH PUZZLE ROOM
5	SHALL BE OPEN AND READILY AVAILABLE UPON ACTIVATION BY THE
6	AUTOMATIC FIRE ALARM SYSTEM, AUTOMATIC SPRINKLER SYSTEM, A
7	MANUAL CONTROL AT A CONSTANTLY ATTENDED LOCATION AND
8	SHALL HAVE A READILY ACCESSIBLE CONTROL LOCATED INSIDE EACH
9	PUZZLE ROOM."
10	[(54)] (56) Subsection 502.1 is deleted and the following is inserted in lieu thereof:
11	"502.1 Address Identification. New and existing buildings UNDERGOING
12	RENOVATIONS THAT REQUIRE THE ISSUANCE OF A BUILDING PERMIT
13	shall be provided with approved address identification in accordance with chapter 84
14	of the Harford County Code."
15	[(55)] (57) Subsection 508.2 is amended by adding the following exception:
16	"Exception. An accessory agricultural use area located within an agricultural building
17	shall be on the level of exit discharge, shall not be greater than 3,000 square feet in
18	area, and the accessory agricultural use area does not exceed the tabular values in
19	Table 503 for the allowable height or area for such use."
20	(58) NEW SECTION 511 IS ADDED AS FOLLOWS:
21	SECTION 511
22	ELECTRICAL ENERGY STORAGE SYSTEMS
23	511.1 ELECTRICAL ENERGY STORAGE SYSTEMS. ELECTRICAL
24	ENERGY STORAGE SYSTEMS SHALL BE REGULATED BY THE
25	PROVISIONS CONTAINED IN THE INTERNATIONAL FIRE CODE.
26	[(56)] (59) Subsection 903.2.1.2 is amended by substituting "300" for "100" in item 2

1	between the words "of" and "or".
2	[(57)] (60) Subsection 1020.1 is amended by adding the following exception:
3	"6. Corridors contained within a single tenant space."
4	(61) SUBSECTION 907.2.1.1 IS AMENDED BY DELETING "1,000" IN THE SECTION
5	HEADING BETWEEN THE WORDS "OF" AND "OR" AND ALSO IN LINE 2
6	BETWEEN THE WORDS "OF" AND "OR" AND REPLACING WITH 300.
7	(62) SUBSECTION 1004.8 IS AMENDED BY ADDING THE WORDS "NAIL
8	SALONS" BETWEEN THE WORDS "CENTERS" AND "TRADING" IN THE
9	THIRD LINE.
10	[(58)](63) Subsection 1102.1 is deleted and the following is inserted in lieu thereof:
11	"1102.1 Design. Buildings and facilities shall be designed and constructed to be
12	accessible in accordance with COMAR 09.12.53.
13	Exception: The design of covered multi-family dwellings as set forth in COMAR
14	09.12.53.05b(9) shall be in accordance with COMAR 09.12.53 or a "safe harbor" as
15	designated by HUD."
16	[(59)](64) New Subsection 1106.[8]10 is added as follows:
17	"1106.8 Identification. Each accessible parking space provided shall be identified as
18	set forth in COMAR 09.12.53.07 D."
19	1210.4 403.3.2 IPC Section
20	[(60)](65) Figure 1608.2 is amended by adding the following note:
21	"1. The ground snow load, pg, for Harford County, Maryland shall be 30 psf."
22	[(61)](66) Subsection 1612.3 is amended by deleting "insert name of jurisdiction" in the
23	seventh line and inserting in lieu thereof "Harford County, Maryland" and by deleting
24	"insert date of issuance" starting in the seventh line and inserting in lieu thereof
25	"January 7, 2000".
26	[(62)](67) Subsection 1809.5 is amended by deleting Method 1 and inserting in lieu 21

1	thereof "1. Extending below the frost line established as 30" below final grade."
2	[(63)](68) New Subsection 3001.1.1 is added as follows:
3	"3001.1.1 Maryland State Elevator Code. The provisions of this code are in
4	addition to the requirements in the Maryland State Elevator Code. If a conflic
5	between this code and the state code exists, the requirements in the state code shall
6	apply."
7	[(64)](69) Subsection 3103.1 is amended by adding "within any 365-consecutive-day
8	period or, with the approval of the building official, multiple periods equaling fewer
9	than 180 days within any 365-consecutive-day period" after the word "days" in the
10	third line.
11	[(65)](70) Subsection 3103.1.2 is amended by deleting "120 square feet (11.16 mm)" in
12	the second line and inserting in lieu thereof "[350]400 square feet (32.55 mm)" and by
13	deleting "10" in the fifth line and inserting in lieu thereof "50".
14	[(66) Subsection 3109.1 is deleted and the following is inserted in lieu thereof:
15	"3109.1 General. All swimming pools, spas and hot tubs shall be provided with
16	barrier protection in accordance with section 305 of the 2018 International Swimming
17	Pool and Spa code. No property owner or contractor shall fill a new swimming pool of
18	spa with water until a permanent or temporary barrier has been approved by the
19	department of building safety. A temporary barrier may remain in place for no more
20	than 30 days unless approved by the building official."
21	(67) New subsection 3109.2 is added as follows:
22	"3109.2 Suction Entrapment Avoidance. All swimming pools, spas and hot tube
23	shall be provided in accordance with section 310 of the 2018 International Swimming
24	Pool and Spa Code."]
25	[(68)](71) New Subsection 3301.3 is added as follows:
26	<b>"3301.3 Housekeeping.</b> Rubbish and trash shall not be allowed to accumulate or 22

1	construction sites and shall be removed as soon as conditions warrant. Combustible
2	rubbish shall be removed promptly and shall not be disposed of by burning on the
3	premises or in the immediate vicinity. The entire premises and area adjoining around
4	the operation shall be kept in a safe and sanitary condition."
5	[(69)](72) Chapter 35 referenced standards under the NFPA 70-[17]20 is hereby deleted
6	and [70-20] HARFORD COUNTY CHAPTER 105 is inserted in lieu thereof.
7	(73) APPENDIX B SUBSECTION B101.3 IS AMENDED BY DELETING "FOR
8	[INSERT NUMBER OF YEARS]" BETWEEN THE WORDS "APPOINTING"
9	AND "YEARS" IN THE FOURTH LINE AND INSERTING "CO-TERMINUS
10	WITH THE COUNTY EXECUTIVE"
11	(74) APPENDIX B SUBSECTION B101.3.1 DELETED AND THE FOLLOWING
12	INSERTED IN LIEU THEREOF:
13	B101.3.1 QUALIFICATIONS. THE BOARD OF APPEALS SHALL CONSIST OF
14	FIVE INDIVIDUALS, ONE FROM EACH OF THE FOLLOWING PROFESSIONS
15	OR DISCIPLINES:
16	1. REGISTERED DESIGN PROFESSIONAL WITH ARCHITECTURAL
17	EXPERIENCE OR A BUILDER OR SUPERINTENDENT OF BUILDING
18	CONSTRUCTION WITH NOT FEWER THAN 10 YEARS OF EXPERIENCE, 5 OF
19	WHICH SHALL HAVE BEEN IN RESPONSIBLE CHARGE OF WORK.
20	2. REGISTERED DESIGN PROFESSIONAL WITH STRUCTURAL
21	ENGINEERING EXPERIENCE.
22	3. REGISTERED DESIGN PROFESSIONAL WITH MECHANICAL AND
23	PLUMBING ENGINEERING EXPERIENCE OR A MECHANICAL
24	CONTRACTOR WITH NOT FEWER THAN 10 YEARS OF EXPERIENCE, 5 OF
25	WHICH SHALL HAVE BEEN IN RESPONSIBLE CHARGE OF WORK.
26	4. REGISTERED DESIGN PROFESSIONAL WITH ELECTRICAL

23

1		ENGINEERING EXPERIENCE OR AN ELECTRICAL CONTRACTOR WITH
2		NOT FEWER THAN 10 YEARS OF EXPERIENCE, 5 OF WHICH SHALL HAVE
3		BEEN IN RESPONSIBLE CHARGE OF WORK.
4		5. REGISTERED DESIGN PROFESSIONAL WITH FIRE PROTECTION
5		ENGINEERING EXPERIENCE OR A FIRE PROTECTION CONTRACTOR WITH
6		NOT FEWER THAN 10 YEARS OF EXPERIENCE, 5 OF WHICH SHALL HAVE
7		BEEN IN RESPONSIBLE CHARGE OF WORK.
8		75) APPENDIX B SUBSECTION B101.3.7 IS HEREBY DELETED AND THE
9		FOLLOWING INSERTED IN LIEU THEREOF:
10		B101.3.7 COMPENSATION. THE BOARD SHALL RECEIVE SUCH
11		COMPENSATION FOR REASONABLE AND NECESSARY EXPENSES AS MAY
12		BE PROVIDED FOR IN THE BUDGET OF THE DEPARTMENT OF
13		INSPECTIONS, LICENSES AND PERMITS.
14	Article	I. [2018] 2021 International Residential Code
15	§ 82-3.	Adoption of [2018] 2021 International Residential Code by reference.
16	A.	The [2018] 2021 International Residential Code published by the International Code Council,
17		nc., is hereby adopted and by reference thereto is made a part of this chapter with the same
18		force and effect as though set out in full herein, save and except such changes, amendments,
19		evisions, deletions, subsections and/or additions as specified in this chapter. If conflicts with
20		his code, or with changes, amendments, revisions, deletions, subsections and/or additions to
21		hat code are found elsewhere in the County Code, the most restrictive provisions shall govern.
22	B.	At least one copy of this code and supplements thereto shall be on file and open for public use,
23		xamination and inspection in the office of the Director of Administration and in the office of
24		he Council Administrator.
25	§ 82-4.	Modifications.

The following sections are changes or additions to certain sections of the [2018] 2021 International 24

26

1	Residential Co	ode:
2	(1)	Subsection R101.1 is amended by deleting "name of jurisdiction" and inserting in lieu
3		thereof "Harford County, Maryland".
4	(2)	New Subsection R101.4 is added as follows:
5		"R101.4 Safeguards during construction. The provisions of Chapter 33 of the
6		[2018] 2021 International Building Code as adopted by Article I of this chapter shall
7		be applicable to all construction sites possessing a valid building permit."
8	(3)	Subsection R102.5 is deleted and the following is inserted in lieu thereof:
9		"R102.5 Appendices. Provisions in Appendix A, Sizing and Capacities of Gas
10		Piping; Appendix B, Sizing of Venting Systems Serving Appliances Equipped with
11		Draft Hoods, Category I, Appliances, and Appliances listed for use and Type B vents;
12		Appendix C, Exit Terminals of Mechanical Draft and Direct-vent Venting Systems;
13		Appendix D, Recommended Procedure for Safety Inspection of an Existing Appliance
14		Installation; Appendix E, Manufactured Housing Used as Dwellings; Appendix H,
15		Patio Covers; Appendix J, Existing Buildings and Structures; and Appendix K, Sound
16		Transmission, shall be deemed as part of this code."
17	(4)	Sections R103 through R114 of the [2018] 2021 International Residential Code are
18		deleted and Sections 102 through 117 of § 82-2B of the Harford County Code shall be
19		applicable for the administration of the code.
20	(5)	SECTION R202 IS AMENDING THE DEFINITION OF "BUILDING" BY
21		DELETING THE LAST SENTENCE IN ITS ENTIRETY.
22	[(5)](6	"FIRE SEPARATION DISTANCE. The distance measured from the building face
23		to one of the following:
24		1. To the closest interior lot line.
25		2. To the centerline of a street, an alley or public way.
26		3. To an imaginary line between 2 buildings on the lot.

1	4. To an exclusive use easement line.
2	The distance shall be measured at a right angle from the face of the wall.
3	[(6)](7)Section R202 is amended by deleting the definition of "manufactured home" and
4	inserting in lieu thereof:
5	"MANUFACTURED HOME. Manufactured home means a structure, transportable
6	in one or more sections, which in the traveling mode is 8 body feet or more in width or
7	40 body feet or more in length or, when erected on site, is 320 or more square feet, and
8	which is built on a permanent chassis and designed to be used as a dwelling with or
9	without a permanent foundation when connected to the required utilities, and includes
10	the plumbing, heating, air-conditioning and electrical systems contained therein.
11	Calculations used to determine the number of square feet in a structure will be based
12	on the structure's exterior dimensions measured at the largest horizontal projections
13	when erected on site. These dimensions will include all expandable room, cabinets
14	and other projections containing interior spaces, but do not include bay windows. This
15	term includes all structures which meet the above requirements except the size
16	requirements and with respect to which the manufacturer voluntarily files a
17	certification pursuant to § 3282.13 and complies with the standards set forth in Part
18	3280.
19	Note: for mobile homes built prior to June 15, 1976, a label certifying compliance to
20	the standard for mobile home, NFPA 501, ANSI 119.1, in effect at the time of
21	manufacture is required. For the purpose of these provisions, a mobile home shall be
22	considered a manufactured home."
23	[(7)](8)Table R301.2(1) is amended by adding the following design values: "Ground snow
24	load - 30 psf; Wind - 90 mph; Topographic effects - no; Special wind region - no;
25	Wind-born debris zone – no; Seismic design category - b; Weathering - severe; Frost
26	line depth - 30 inches (762 mm); Termite - moderate to heavy; [Winter design temp -

1		13° F].; Ice barrier underlayment	required - no; Flood	hazards - July	16, 1981 and
2		January 7, 2000; Air freezing inde	x - 554; Mean annual	temp - 31°f; La	titude - 39° N;
3		Winter Heating - 99% 70°; Sumn	ner Cooling - 1% 95°;	Altitude Corre	ction Factor -
4		1.0; Interior Design Temperature	- 10°; Design Temper	ature Cooling -	· 75°; Heating
5		Temperature Difference - 60°; Win	nd Velocity Heating -	7.0; Wind Velo	city Cooling -
6		7.0; Coincident Wet Bulb - 77°; D	Daily Range - m; Wint	er Humidity - 3	0%; Summer
7		Humidity - 50%.".			
8	[(8)](9	Table R302.1(1) is amended by a	dding the following li	ne at the botton	of the table:
9					
		All portions of attached decks and open roof covered decks. Open roof covered decks may have a maximum opaque wall surface area of 50%	Not allowed	N/A	<2 feet
10		013070			
11	[(9)](1	0) Table R302.1(2) is amend	ed by adding the follo	wing line at the	bottom of the
12		table:			
		All portions of attached decks and open roof covered decks. Open roof covered decks may have a maximum opaque wall surface area of 50%	Not allowed	N/A	<2 feet
13		0.000			
14	(11)	SUBSECTION R313.1 IS AMEN	IDED BY ADDING A	A "1" IN THE I	BEGINNING
15		OF THE FIRST SENTENCE	OF THE EXCEPTI	ON AND AD	DDING THE
16		ADDITIONAL EXCEPTION:			
17		"2. A PROPERTY FOR THE CO	ONSTRUCTION OF A	A TOWNHOU	SE THAT IS
18		NOT CONDICATED TO AN ELL	COTDIC LITH ITV "		
10		NOT CONNECTED TO AN ELE	ECTRIC UTILITY."		
19	(12)	SUBSECTION R313.2 IS AMEN		A "1" IN THE I	BEGINNING

I	AD.	DITIONAL EXCEPTION:
2	"2.	A PROPERTY FOR THE CONSTRUCTION OF A ONE AND TWO FAMILY
3	DW	ELLING THAT IS NOT CONNECTED TO AN ELECTRIC UTILITY."
4	[(10)](13)	New Subsection R312.1.1.1 is added as follows:
5	"R3	312.1.1.1 Areaway guards. A guardrail or other approved barrier shall be
6	insta	alled on areaway walls with a grade level elevation difference of greater than 48
7	inch	nes (1219.2 mm). Guards shall be constructed in accordance with Section R312."
8	[(11)](14)	Subsection R319.1 is deleted and the following is inserted in lieu thereof:
9	"R3	19.1 Address identification. New and existing buildings UNDERGOING
10	REN	NOVATIONS THAT REQUIRE THE ISSUANCE OF A BUILDING PERMIT
11	shal	l be provided with approved address identification in accordance with Chapter 84 of
12	the I	Harford County Code."
13	[(12) Subs	section R326.1 is hereby deleted and the following is inserted in lieu thereof:
14	"R32	26.1 General. All swimming pools, spas and hot tubs shall be provided with barrier
15	prote	ection in accordance with section 305 of the 2018 International Swimming Pool and
16	Spa	code. No property owner or contractor shall fill a new swimming pool or spa with
17	wate	er until a permanent or temporary barrier has been approved by the department of
18	build	ding safety. A temporary barrier may remain in place for no more than 30 days unless
19	appr	roved by the building official."
20	(13) New	Subsection r326.2 is added as follows:
21	"R32	26.2 Suction Entrapment Avoidance. All swimming pools, spas and hot tubs shall
22	be pi	rovided in accordance with section 310 of the 2018 International Swimming Pool and
23	Spa	code."]
24	[(14)] (15)	Subsection R405.1 is amended by deleting the exception at the end of the
25	subs	ection.
26	[(15)] (16)	Subsection R506.2.2 is amended by deleting the exception at the end of the

1		subsection.
2	[(16)]	(17) New Subsection R703.9.3 is added as follows:
3		"R703.9.3 Special inspections. Special inspections shall be required for all EIFS
4		applications.
5		Exceptions:
6		1. Special inspections shall not be required for EIFS applications installed over a
7		water-resistive barrier with a means of draining moisture to the exterior.
8		2. Special inspections shall not be required for EIFS applications installed over
9		masonry or concrete walls."
10	[(17)]	New Subsection R903.4.2 is added as follows:
11		"R903.4.2 Gutters and leaders. Gutters and leaders shall be installed in accordance
12		with the Harford County Plumbing Code. [All rain leaders or extensions shall not
13		discharge closer than 10 feet from any lot line so as not to be a nuisance to surrounding
14		properties.]"
15	[(18)	Subsection N1102.4.1.2 (R402.4.1.2) is amended by adding the following at the end of
16		the subsection:
17		"except as provided for in the:
18		(i) Simulated performance path listed in subsection N1105 (R405); and
19		(ii) Energy rating index compliance alternative in subsection N1106 (R406)."
20	(19)	Table N1105.5.2(1) (R405.5.2(1)) is amended by adding "not to exceed 5 air changes
21		per hour with baseline of 3 air changes per hour in climate zones 4 and 5 maintained
22		for standard reference design" after "the measured air exchange rate" under the
23		"proposed design".
24	(20)	Subsection N1106.2 (R406.2) is amended by adding the following at the end of the
25		paragraph:
26		"Exception: The maximum of 5 air changes per hour tested in accordance with 29

I	subsection R402.4.1.2 may be used to determine the energy rating index score with
2	baseline of 3 air changes per hour in climate zones 4 and 5 maintained for ERI
3	reference design."]
4	(19) PART IV – ENERGY CONSERVATION IS DELETED AND THE
5	INTERNATIONAL ENERGY CONSERVATION CODE AS ADOPTED IN
6	ARTICLE IV IS INSERTED IN LIEU THEREOF.
7	[(21)](20) Part VII, Chapters 25, 26, 27, 28, 29, 30, 31, 32 and 33 are deleted and the
8	Harford County Plumbing Code is inserted in lieu thereof except for Subsection
9	P2904, Dwelling unit fire sprinkler systems, which shall remain as part of this code.
10	[(22)](21) Part VIII, Chapters 34, 35, 36, 37, 38, 39, 40, 41, 42 and 43 are deleted and the
11	Harford County Electrical Code is inserted in lieu thereof.
12	[(23)](22) Subsection AE101.1 is amended by deleting the sentence "These provisions
13	shall be applicable only to a manufactured home used as a single dwelling unit
14	installed on privately owned (nonrental) lots and shall apply to the following:" and
15	inserting the following sentence in lieu thereof: "These provisions shall be applicable
16	only to a manufactured home used as a single dwelling unit installed on private and
17	rental lots and shall apply to the following:".
18	[(24)](23) Subsection AE201.1 is amended by deleting the definition of "manufactured
19	home" and inserting the following in lieu thereof:
20	"MANUFACTURED HOME. Manufactured home means a structure, transportable
21	in one or more sections, which in the traveling mode is 8 body feet or more in width or
22	40 body feet or more in length or, when erected on site, is 320 or more square feet, and
23	which is built on a permanent chassis and designed to be used as a dwelling with or
24	without a permanent foundation when connected to the required utilities, and includes
25	the plumbing, heating, air-conditioning and electrical systems contained therein.
26	Calculations used to determine the number of square feet in a structure will be based 30

I	on the structure's exterior dimensions measured at the largest horizontal projections
2	when erected on site. These dimensions will include all expandable room, cabinets
3	and other projections containing interior spaces, but do not include bay windows. This
4	term includes all structures which meet the above requirements except the size
5	requirements and with respect to which the manufacturer voluntarily files a
6	certification pursuant to § 3282.13 and complies with the standards set forth in Part
7	3280.
8	NOTE: For mobile homes built prior to June 15, 1976, a label certifying compliance
9	to the standard for mobile home, NFPA 501, ANSI 119.1, in effect at the time of
10	manufacture is required. For the purpose of these provisions, a mobile home shall be
11	considered a manufactured home."
12	[(25)](24) Subsection AE201.1 is amended by deleting the definition of "privately owned
13	(nonrental) lot" and inserting the following in lieu thereof:
14	"PRIVATELY OWNED (NONRENTAL) LOT. A parcel of real estate outside of a
15	manufactured home rental community (park) where the land and the manufactured
16	home to be installed thereon are held in common ownership."
17	[(26)](25) Subsection AE201.1 is amended by adding the following definition:
18	"RENTAL LOT. A lot or space that is rented in an approved manufactured home
19	community or park."
20	[(27)](26) Subsection AE201.1 is amended by adding the following definition:
21	"INDUSTRIALIZED BUILDING. As defined by Section 12-301(d) of the Public
22	Safety Article, of the Annotated Code of Maryland, 'industrialized building' means a
23	building assembly or system of building subassemblies manufactured in its entirety, or
24	in substantial part, offsite and transported to the point of use for installation or erection,
25	with or without other specified components, as a finished building or as a part of a
26	finished building comprising two or more industrialized building units. An

# As Amended

1	industrialized building need not have electrical, plumbing, heating, ventilating,
2	insulation or other service systems; but when such systems are installed at the offsite
3	manufacture or assembly point they shall be deemed a part of such building assembly
4	or system of building assemblies. Industrialized building does not include open frame
5	construction which can be completely inspected onsite. An 'industrialized building'
6	does not include a mobile home."
7	[(28)](27) Section AE301 is deleted in its entirety.
8	[(29)](28) Section AE302 is deleted in its entirety.
9	[(30)](29) Section AE303 is deleted in its entirety.
10	[(31)](30) Section AE304 is deleted in its entirety.
11	[(32)](31) Subsection AE602.1 is amended by adding the phrase "or ANSI A225.1-1994"
12	in the last line of the last paragraph after the word "designer".

#### Article III. [2018] 2021 International Mechanical Code

13

#### 14 § 82-5. Adoption of [2018] 2021 International Mechanical Code by reference.

- 15 A. The [2018] 2021 International Mechanical Code published by the International Code
  16 Council, Inc., is hereby adopted and by reference thereto is made a part of this chapter with
  17 the same force and effect as though set out in full herein, save and except such changes,
  18 amendments, revisions, deletions, subsections and/or additions as specified in this chapter. If
  19 conflicts with this code, or with changes, amendments, revisions, deletions, subsections
  20 and/or additions to that code are found elsewhere in the County Code, the most restrictive
  21 provisions shall govern.
- 22 B. At least one copy of this code and supplements thereto shall be on file and open for public 23 use, examination and inspection in the office of the Director of Administration and in the 24 office of the Council Administrator.
- 25 C. The requirements of this article shall not apply to the agricultural structures that do not require a building permit as specified on the Agricultural Buildings Permitting Requirements

I		Table as shown in Attachment 1 in Chapter 82.
2	§ 82-6	5. Registration.
3	A.	All persons that intend to install, maintain, alter, remodel or repair heating systems, cooling
4		systems, refrigeration systems, ventilation systems or hydronic systems in Harford County
5		shall be registered with the Division of Plumbing Services and shall have a current certificate
6		of registration.
7	B.	To obtain a certificate of registration, the applicant shall have been qualified and approved by
8		the State of Maryland Board of Heating, Ventilation, Air Conditioning and Refrigeration
9		Contractors.
10	C.	Master, master restricted, limited heating, ventilation, air-conditioning and refrigeration
11		certificate of registration. Any applicant who applies for a master, master restricted or a
12		limited heating, ventilation, air-conditioning and refrigeration certificate to perform
13		mechanical services shall provide the following information:
14		(1) A current license number issued by the State of Maryland Board of Heating,
15		Ventilation, Air Conditioning and Refrigeration Contractors.
16		(2) A current business address with phone number.
17		(3) A current certificate of insurance equal to or greater than such amount as required by
18		the State of Maryland Board of Heating, Ventilation, Air Conditioning and
19		Refrigeration Contractors.
20	D.	Journeyman, apprentice certificate of registration. Any applicant who applies for a
21		journeyman or apprentice certificate to assist in performing mechanical services shall provide a
22		current license number issued by the State of Maryland Board of Heating, Ventilation, Air
23		Conditioning and Refrigeration Contractors.
24	E.	Fees for certificate of registration shall be as set forth in Chapter 157 of the Harford County
25		Code, as amended.
26	F.	Master, master restricted and limited heating, ventilation, air-conditioning and refrigeration

33

1		certificates issued pursuant to this section shall expire on April 30 of each even-humbered
2		year, and all such certificates shall be issued for a 2-year period. All journeyman and
3		apprentice certificates issued pursuant to this section shall expire on October 31 of each even-
4		numbered year.
5	G.	The administrative authority may, in its discretion, suspend or revoke the certificate of
6		registration of any person who makes any false or misleading statement in an application; who
7		sells, lends or otherwise permits any improper use of a certificate, obtains permits for others to
8		install, maintain, alter, remodel or repair heating systems, cooling systems, refrigeration
9		systems, ventilation systems or hydronic systems, loses or has been suspended from his or her
10		State of Maryland Board of Heating, Ventilation, Air Conditioning and Refrigeration
11		Contractors' qualification or who commits any violation of the Harford County Mechanical
12		Code.
13	H.	Upon receipt of written requests directed to the administrative authority, the administrative
14		authority, in its discretion, may suspend or revoke the certificate of any person who commits
15		any violation of the Harford County Mechanical Code or any other law or regulation governing
16		the conduct to provide heating, ventilation, air-conditioning or refrigeration services.
17		(1) No certificate shall be suspended or revoked except after a hearing before the
18		administrative authority of which the certificate holder shall receive at least 5 days'
19		notice, in writing, together with a statement of the charges. Upon such hearing, the
20		administrative authority may suspend any certificate for such a period of time as it may
21		find proper or may revoke same.
22		(2) In the event of a revocation, no application for the reinstatement of a revoked
23		certificate shall be entertained until the expiration of 6 months from the date of such
24		revocation. At the end of such 6-month period, the administrative authority may, in its
25		discretion, reinstate a revoked certificate.
26	I.	Any certificate holder shall notify the administrative authority immediately of any changes in

34

1		location of business, employer, phone number, licensing status or insurance coverage.
2	J.	Any certificate of insurance required to be submitted under this section shall provide that in the
3		event the insurance required under this chapter is cancelled, the insurer shall notify the Harford
4		County Division of Plumbing Services within 10 days after the date of cancellation.
5	§ 82-7	7. Permit applicants.
6	A.	No work regulated by this code shall be commenced without a permit being issued by the
7		Department of Inspections, Licenses and Permits. Only to the extent that a registrant with the
8		Department of Inspections, Licenses and Permits is authorized to do work, shall a registered
9		master, master restricted, limited heating, ventilation, air-conditioning and refrigeration
10		contractor be eligible to apply for permits authorized by this code.
11	B.	A mechanical permit issued in accordance with § 82-12 of this Code may be issued to the
12		owner of a single-family dwelling occupied exclusively by the owner upon the following
13		conditions:
14		(1) All work must be done in accordance with this code.
15		(2) The owner shall be tested and qualified by the Department of Inspections, Licenses and
16		Permits in accordance with requirements established by the Mechanical Board.
17		(3) The owner shall sign an affidavit agreeing to comply with all applicable provisions of
18		this chapter and attesting that the location in which the work will be performed is the
19		applicant's primary residence.
20	§ 82-8	6. Change of registered contractors.
21	A.	Upon written notification by a master, master restricted, limited heating, ventilation, air-
22		conditioning and refrigeration contractor to the Department of Inspections, Licenses and
23		Permits, a permit may be canceled upon satisfactorily meeting the following requirements:
24		(1) A minimum 7 working day waiting period commencing the day that the Department of
25		Inspections, Licenses and Permits receives the cancellation request unless the parties
26		agree to waive the waiting period or the building official determines that extenuating

1			circumstances exist that warrant modification of the waiting period.
2		(2)	The Department of Inspections, Licenses and Permits certifies that the work performed
3			to date is code compliant and that the work has been deemed not to pose a threat to the
4			health, safety or welfare of the public.
5		(3)	In the case where another registered contractor will be performing the remainder of the
6			work, the new registered contractor shall submit to the Department of Inspections,
7			Licenses and Permits an assumption agreement on a form provided by the Department
8			prior to a new permit being issued.
9	B.	The D	Department of Inspections, Licenses and Permits may cancel a permit at the written
10		reques	st of the property owner or his/her agent upon satisfactory compliance with the following
11		requir	ements:
12		(1)	The Department of Inspections, Licenses and Permits has forwarded a copy of the
13			written request to the permit holder.
14		(2)	A permit may not be canceled for a minimum of 7 business days commencing after
15			notification to the permit holder unless the parties agree to waive the waiting period or
16			the building official determines that extenuating circumstances exist that warrant
17			modification of the waiting period.
18		(3)	In cases where work has commenced and has not been completed, the Department
19			shall perform an onsite inspection and certify that the work performed to date has been
20			deemed to not pose a threat to the public health, safety and welfare.
21		(4)	In cases where the work has not been completed, a permit shall be applied for by an
22			individual approved under § 82-7 of this code. The applicant shall also submit an
23			assumption agreement, if applicable, for the remainder of the work. Assumption
24			agreements shall be completed on a form provided by the Department.
25	§ 82-9	). Mod	ifications.
26	A.	Defin	itions.

1		(1)	As used in this code, the term Code Official means the Director of the Department
2			of Inspections, Licenses and Permits or his/her designee.
3		(2)	As used in this code, the term "Department of Mechanical Inspection" means the
4			Department of Inspections, Licenses and Permits.
5		(3)	As used in this code, the term "International Fuel Gas Code" means the Harford
6			County Plumbing Code, Chapter 202 (§ 202-1, et seq.) of the Harford County Code,
7			as amended.
8		(4)	As used in this code, the term "International Plumbing Code" means the Harford
9			County Plumbing Code, Chapter 202 (§ 202-1, et seq.) of the Harford County Code,
10			as amended.
11	B.	The f	following sections are changes or additions to certain sections of the [2018] 2021
12		Intern	national Mechanical Code:
13		(1)	Subsection 101.1 is amended by deleting "[name of jurisdiction]" and inserting in
14			lieu thereof "Harford County, Maryland".
15		(2)	Subsection 101.2.1 is deleted and the following is inserted in lieu thereof:
16			"101.2.1 Appendices. Provisions in Appendix A, Combustion Air Openings and
17			Chimney Connector Pass-Throughs, shall be deemed as part of this code."
18		(3)	Subsection 103.1 is deleted in its entirety.
19		(4)	Subsection 103.2 is amended by inserting the following between the words "official"
20			and "shall" in the first line: "and the deputy code official".
21		(5)	Subsection 103.3 is amended by deleting "the code official shall have the authority to
22			appoint a deputy code official, other related" beginning in the third line and inserting
23			the following in lieu thereof: "the Department of Building Safety shall have the
24			authority to employ".
25		(6)	Subsection 106.2 is amended by adding the following:

1		"9. Re	epair, se	ervice and maintenance of existing equipment."
2	(7)	Subsec	ction 10	6.3 is amended by adding "in writing or electronically" after the word
3		"furnis	shed" ii	n the third line and by adding "only an individual registered in
4		accord	ance wi	th § 82-8 of this article shall be eligible to make application for permit
5		to do v	vork in	accordance with this code."
6	(8)	Subsec	ction 10	06.3.1 is amended by deleting "by a registered design professional
7		where	require	d by state law" in the sixth line and inserting "in accordance with § 82-
8		9" in l	ieu ther	eof and by deleting "by a registered design professional" in the ninth
9		line an	d insert	ing "in accordance with § 82-9" in lieu thereof.
10	(9)	New s	ubsectio	on 106.3.1.1 is added as follows:
11		"106.3	.1.1 Pl	ans and Specifications.
12		<b>A.</b> .	Plans a	and specifications for the installation of all heating, ventilation, air-
13			condit	ioning or refrigeration systems shall:
14			(1)	Be approved by a licensed Maryland HVACR master, HVACR
15				master restricted licensed for the system being installed, or a
16				Maryland licensed professional engineer or architect; and
17			(2)	Have affixed to them the name and license number of the Maryland
18				HVACR master, HVACR master restricted licensed for the system
19				being installed, or Maryland licensed professional engineer or
20				architect.
21		B.	For ins	stallations other than one-family and two-family dwellings, adequate
22			details	of mechanical and electrical work, including computations, diagrams
23			and oth	her essential technical data, shall be filed. All engineering plans and
24			compu	tations shall bear the signature and license number of the licensed
25			engine	er, architect or mechanical licensee responsible for the design. For
26			one-fa	mily and two-family dwellings, a residential heat gain and loss load

1		calculation (for example, a manual j evaluation or equivalent supporting
2		documentation acceptable to the department) shall be filed for new
3		installations at the time of permit application. For replacement of a
4		condensing unit, air-handling unit, furnace or boiler in an existing HVACR
5		system in one-family and two-family dwellings the permit application shall
6		be accompanied with documentation reflecting calculations by which the
7		sizing of the equipment to be installed was determined. A signed and dated
8		copy of this document shall be retained by the contractor, and a copy shall be
9		left with the homeowner upon completion of the work. Plans shall indicate
10		how required structural and fire resistance rating integrity will be maintained
11		and where penetrations will be made for electrical, mechanical, plumbing and
12		communication conducts, pipes and systems."
13	(10)	New Subsection 106.3.4 is added as follows:
14		"106.3.4 Applicants. Only an individual registered in accordance with § 82-8 of
15		this article shall be eligible to make application for permit to do work in accordance
16		with this code."
17	(11)	Subsection 106.4.3 is amended by deleting "180 days" in the fourth line and inserting
18		"12 months" in lieu thereof.
19	(12)	Subsection 106.4.4 is amended by deleting the last two sentences.
20	(13)	New Subsection 106.4.5.1 is added as follows:
21		"106.4.5.1 Withholding permits. The Code Official may withhold the issuance of
22		any permit and/or place a hold on inspections if the applicant, the owner or any
23		individual listed on the application as a responsible officer (if the applicant is a
24		business entity) has failed to remedy or correct any existing/alleged violation of the
25		Harford County Code on any construction projects in Harford County for which the
26		applicant has been cited by any County agency."

1	(14)	Subsection 106.5.1 is amended by deleting "100 percent of the usual permit fee" IN
2		the fourth line and replacing with "a fee established by the building official that shall
3		be" and by adding "unless waived by the building official pursuant to established
4		policy" to the end of the sentence.
5	(15)	Subsection 106.5.2 is amended by deleting "as indicated in the following schedule
6		(jurisdiction to insert appropriate schedule)" and replacing with "in accordance with
7		chapter 157 of the Harford County Code, as amended".
8	(16)	Subsection 106.5.3 is hereby deleted and the following is inserted in lieu thereof:
9		"106.5.3 Fee Refunds. The Code Official shall authorize the refunding of fees in
10		accordance with §157-16B and §157-16C of the Harford County Code, as amended."
11	(17)	Subsection 108.4 is amended by deleting "[specify offense]" in the seventh line,
12		"[amount] dollars" in the eighth line and "[number of days]" in the ninth line and
13		replacing with "misdemeanor", "\$1,000" and "90 days" respectively.
14	(18)	Subsection 108.5 is amended by deleting "Any person who shall continue any work
15		on the system after having been served with a stop work order, except such work as
16		that person is directed to perform to remove a violation or unsafe condition, shall be
17		liable for a fine of not less than [amount] dollars or more than [amount] dollars."
18		Beginning in the tenth line and insert the following in lieu thereof: "any person who
19		shall continue any work on the system after having been served with a stop work
20		order, except such work as that person is directed to perform to remove a violation or
21		unsafe condition, shall be subject to the violation penalties prescribed in section
22		108.4.".
23	(19)	Subsection 109.1 is amended by adding "as established in Article I of this chapter".
24	(20)	Subsection 202, General definitions, is amended by adding the following definition
25		between the definitions of "registered design professional" and "return air":
26		"Repair. To put back in good condition, fix, to renew parts, to make existing

1	systems function. Anything that can be made to work is repairable. The replacement
2	of a system or a condenser unit, air-handling unit, furnace or boiler which make up
3	system shall constitute altering or remodeling, not repair."
4	(21) Subsection 301.11 is amended by adding "Temporary repairs may not be made to
5	damaged heat exchanger." at the end of this subsection.
6	ARTICLE IV. INTERNATIONAL ENERGY CONSERVATION CODE
7	§ 82-10. ADOPTION OF 2021 INTERNATIONAL ENERGY CONSERVATION CODE.
8	A. THE 2021 INTERNATIONAL ENERGY CONSERVATION CODE PUBLISHED B
9	THE INTERNATIONAL CODE COUNCIL, INC., IS HEREBY ADOPTED AND B
10	REFERENCE THERETO IS MADE A PART OF THIS CHAPTER WITH THE SAM
11	FORCE AND EFFECT AS THOUGH SET OUT IN FULL HEREIN, SAVE AND EXCEP
12	SUCH CHANGES, AMENDMENTS, REVISIONS, DELETIONS, SUBSECTION
13	AND/OR ADDITIONS AS SPECIFIED IN THIS CHAPTER. IF CONFLICTS WIT
14	THIS CODE, OR WITH CHANGES, AMENDMENTS, REVISIONS, DELETION
15	SUBSECTIONS AND/OR ADDITIONS TO THAT CODE ARE FOUND ELSEWHER
16	IN THE COUNTY CODE, THE MOST RESTRICTIVE PROVISIONS SHALL GOVER
17	B. AT LEAST ONE COPY OF THIS CODE AND SUPPLEMENTS THERETO SHALL B
18	ON FILE AND OPEN FOR PUBLIC USE, EXAMINATION AND INSPECTION IN TH
19	OFFICE OF THE DIRECTOR OF ADMINISTRATION AND IN THE OFFICE OF TH
20	COUNCIL ADMINISTRATOR.
21	§ 82-11. MODIFICATIONS.
22	THE FOLLOWING SECTIONS ARE CHANGES OR ADDITIONS TO CERTAIN SECTIONS OF
23	THE 2021 INTERNATIONAL ENERGY CONSERVATION CODE:
24	(1) SUBSECTION C101.1 IS AMENDED BY DELETING "NAME C
25	JURISDICTION" AND INSERTING IN LIEU THEREOF "HARFORD COUNT"
26	MARYLAND".

1	(2)	SECTIONS C103 THROUGH C110 OF THE 2021 INTERNATIONAL ENERGY
2		CONSERVATION CODE ARE DELETED AND SECTIONS 102 THROUGH 117
3		OF § 82-2B OF THE HARFORD COUNTY CODE SHALL BE INSERTED IN
4		LIEU THEREOF.
5	(3)	SECTION C202 IS AMENDED BY ADDING THE FOLLOWING DEFINITION
6		BETWEEN THE WORDS "HISTORIC BUILDING" AND "IEC DESIGN
7		MOTOR":
8		HOTEL. MEANS AN ESTABLISHMENT THAT OFFERS SLEEPING
9		ACCOMMODATIONS FOR COMPENSATION WITH THE EXCEPTION OF A
10		BED AND BREAKFAST ESTABLISHMENT.
11	(4)	SECTION C202 IS AMENDED BY ADDING THE FOLLOWING DEFINITION
12		BETWEEN THE WORDS "MANUAL" AND "NAMEPLATE HORSEPOWER";
13		MASTER CONTROL DEVICE. MEANS A CONTROL THAT IS ACTIVATED
14		WHEN A PERSON ENTERS THE ROOM THROUGH THE PRIMARY ROOM-
15		ACCESS METHOD; OR AN OCCUPANCY SENSOR CONTROL THAT IS
16		ACTIVATED BY A PERSON'S PRESENCE IN THE ROOM.
17	(5)	NEW SUBSECTION C405.2.1.5 IS ADDED AS FOLLOWS:
18		C405.2.1.5 HOTEL GUEST ROOMS. EACH HOTEL GUEST ROOM SHALL BE
19		EQUIPPED WITH A MASTER CONTROL DEVICE THAT AUTOMATICALLY
20		TURNS OFF THE POWER TO ALL OF THE LIGHTING FIXTURES IN THE
21		GUEST ROOM NO MORE THAN 30 MINUTES AFTER THE ROOM HAS BEEN
22		VACATED.
23	(6)	SUBSECTION R101.1 IS AMENDED BY DELETING "NAME OF
24		JURISDICTION" AND INSERTING IN LIEU THEREOF "HARFORD COUNTY,
25		MARYLAND".
26	(7)	SUBSECTION R102.1.1 IS AMENDED BY ADDING THE FOLLOWING AT THE 42

1		END OF THE SECTION. "COMPLIANCE WITH THE SILVER RATING OF THE
2		ICC 700 NGBS AS CODIFIED IN THE ANNOTATED CODE OF MARYLAND,
3		PUBLIC SAFETY ARTICLE §12-509(A)."
4	(8)	SECTIONS R103 THROUGH R110 OF THE 2021 INTERNATIONAL ENERGY
5		CONSERVATION CODE ARE DELETED AND SECTIONS 102 THROUGH 117
6		OF § 82-2B OF THE HARFORD COUNTY CODE SHALL INSERTED IN LIEU
7		THEREOF.
8	(9)	SUBSECTION R401.2.5 IS AMENDED BY ADDING THE FOLLOWING AFTER
9		ITEM NUMBER 3 "4. FOR BUILDINGS COMPLYING WITH SECTION
10		R402.1.3.1, THE STRUCTURE SHALL COMPLY WITH THE ADDITIONAL
11		ENERGY FEATURES OF SECTION R408.3.
12	(15)	NEW SUBSECTION R402.1.3.1 IS ADDED AS FOLLOWS:
13		R402.1.3.1 MARYLAND ALTERNATIVE R- VALUE. ASSEMBLIES WITH AN
14		R-VALUE OF INSULATION MATERIALS EQUAL TO OR GREATER THAN
15		THAT SPECIFIED IN TABLE R402.1.3.1 SHALL BE AN ALTERNATIVE TO
16		THE U-FACTOR IN TABLE R402.1.2 WHEN COMBINED WITH SECTION
17		R408.3. THE PROVISION OF SECTION R408.2.1 SHALL BE APPLIED TO THE
18		BASE MODEL HOUSE TO ESTABLISH THE REFERENCE BASE DESIGN
19		ESTABLISHING ENERGY EFFICIENCY.

TABLE (R402.1.3.1)

MD ALTERNATIVE INSULATION MINIMUM R-VALUES AND FENESTRATION REQUIREMENTS BY COMPONENT<sup>a</sup>

Climate Zone	Fenestration <i>U</i> -Factor <sup>b, i</sup>	Skylight <sup>b</sup> <i>U</i> -Factor	Glazed Fenestration SHGC <sup>b, e</sup>	Ceiling R-Value	Wood Frame Wall R-Values	Mass Wall <i>R</i> -Value <sup>h</sup>	Floor R-Value	Basement <sup>c, z</sup> Wall <i>R</i> -Value	Slab <sup>d</sup> R-Value & Depth	Crawl Space <sup>c, g</sup> Wall R-Value
4 except Marine	0.30	0.55	0.40	49	20 or 15+3 <sup>g</sup>	8/13	19	10ci or 13	10ci, 4ft	11ci or 13
5	0.30	0.55	0.40	49	20 or 15+3 <sup>g</sup>	13/17	30	15ci or 19 or 13 + 5ci	10ci, 4ft	15ci or 19 Or 13 + 5ci

For SI: 1 foot = 304.8 mm. NR = Not Required. ci = continuous insulation.

7

8

9

10

11

12

13

14

15

16

17

18

19

LINE.

- (16) SUBSECTION R402.2.1 IS AMENDED BY ADDING "OR SECTION R402.1.3.1"
  BETWEEN "R402.1.3" AND "REQUIRES" IN THE SECOND AND SEVENTH
  LINE.
  (17) SUBSECTION R402.2.2 IS AMENDED BY ADDING "OR SECTION R402.1.3.1"
  BETWEEN "R402.1.3" AND "REQUIRES" IN THE SECOND AND ELEVENTH
  - (18) NEW SUBSECTION R408.3 AS FOLLOWS:

PACKAGE OPTIONS. THE PROVISIONS OF THIS SECTION SHALL BE APPLIED AS PART OF THE PRESCRIPTIVE COMPLIANCE PATH OF SECTION R402.1.3.1. ADDITIONAL ENERGY EFFICIENCIES FROM TABLE R408.3 MUST BE SELECTED TO MEET OR EXCEED A MINIMUM PERCENTAGE INCREASE OF 6%.

	. Energy Feature	Percentage Increase for Climate Zone 4
1	≥ 2.5% reduction in total UA <sup>5</sup>	1%
2	≥ 5% reduction in total UA <sup>5</sup>	2%
3	> 7.5% reduction in total UA <sup>s</sup>	2%
4	0.22 U-factor windows <sup>5</sup>	3%
5	High performance cooling system (Greater than or equal to 18 SEER and 14 EER air conditioner) <sup>2</sup>	3%
6	High performance cooling system (Greater than or equal to 16 SEER and 12 EER air conditioner) <sup>2</sup>	3%
7	High performance gas furnace (Greater than or equal to 96 AFUE natural gas furnace) <sup>2</sup>	5%
8	High performance gas furnace (Greater than or equal to 92 AFUE natural gas furnace) <sup>2</sup>	4%
9	High performance heat pump system (Greater than or equal to 10 HSPF/18 SEER air source heat pump.) <sup>2</sup>	6%
10	High performance heat pump system (Greater than or equal to 9 HSPF/16 SEER air source heat pump.) <sup>2</sup>	5%

a. R-values are minimums. U-factors and SHGC are maximums. Where insulation is installed in a cavity that is less than the label or design thickness of the insulation, the installed R-value of the insulation shall be not less than the R-value specified in the table.

b. The fenestration U-factor column excludes skylights. The SHGC column applies to all glazed fenestration. Exception: In Climate Zones 0 through 3, skylights shall be permitted to be excluded from glazed fenestration SHGC requirements provided that the SHGC for such skylights does not exceed 0.30.

c. "5ci or 13" means R-5 continuous insulation (ci) on the interior or exterior surface of the wall or R-13 cavity insulation on the interior side of the wall. "10ci or 13" means R-10 continuous insulation (ci) on the interior or exterior surface of the wall or R-13 cavity insulation on the interior side of the wall. "15ci or 19 or 13 & 5ci" means R-15 continuous insulation (ci) on the interior or exterior surface of the wall; or R-19 cavity insulation on the interior of the wall; or R-19 cavity insulation on the interior or exterior surface of the wall.

d. R-5 insulation shall be provided under the full slab area of a heated slab in addition to the required slab edge insulation R-value for slabs, as indicated in the table. The slab-edge insulation for heated slabs shall not be required to extend below the slab.

e. There are no SHGC requirements in the Marine Zone.

f. Basement wall insulation is not required in Warm Humid locations as defined by Figure R301.1 and Table R301.1.

g. The first value is cavity insulation; the second value is continuous insulation. Therefore, as an example, "13 & 5" means R-13 cavity insulation plus R-5 continuous insulation.

h. Mass walls shall be in accordance with Section R402.2.5. The second R-value applies where more than half of the insulation is on the interior of the mass wall.

i. A maximum U-factor of 0.32 shall apply in Climate Zones 3 through 8 to vertical fenestration products installed in buildings located either:

<sup>1.</sup> Above 4.000 feet in elevation, or

<sup>2.</sup> In windborne debris regions where protection of openings is required by Section R301.2.1.2 of the International Residential Code.

11	Ground source heat pump (Greater than or equal to 3.5 COP ground source heat pump.) <sup>2</sup>	6%
12	Fossil fuel service water heating system (Greater than or equal to 82 EF fossil fuel service water-heating system.)	3%
13	High performance heat pump water heating system option (Greater than or equal to 2.9 UEF electric service water-heating system.)	8%
14	High performance heat pump water heating system. (Greater than or equal to 3.2 UEF electric service water-heating system.)	8%
15	Solar hot water heating system (Greater than or equal to 0.4 solar fraction solar water-heating system.)	6%
16	More efficient HVAC distribution system. (100 percent of ductless thermal distribution system or hydronic thermal distribution system located completely inside the building thermal envelope.)	10%
17	100% of ducts in conditioned space. (100 percent of duct thermal distribution system located in conditioned space as defined by Section R403.3.2.)	12%
18	Reduced total duct leakage. (When ducts are located outside conditioned space, the total leakage of the ducts, measured in accordance with R403.3.5, shall be in accordance with one of the following:  a. Where air handler is installed at the time of testing, 2.0 cubic feet per minute per 100 square feet of conditioned floor area.  b. Where air handler is not installed at the time of testing, 1.75 cubic feet per minute per 100 square feet of conditioned floor area.)	1%
19	2 ACH50 air leakage rate with ERV or HRV installed. (Less than or equal to 2.0 ACH50, with either an Energy Recovery Ventilator (ERV) or Heat Recovery Ventilator (HRV) installed.) <sup>3</sup>	10%
20	2 ACH50 air leakage rate with balanced ventilation. (Less than or equal to 2.0 ACH50, with balanced ventilation as defined in Section 202 of the 2021 International Mechanical Code.) <sup>4</sup>	4%
21	1.5 ACH50 air leakage rate with ERV or HRV installed. (Less than or equal to 1.5 ACH50, with either an ERV or HRV installed.)4	12%
22	1 ACH50 air leakage rate with ERV or HRV installed. (Less than equal to 1.0 ACH50, with either an ERV or HRV installed.)4	14%
23	Energy Efficient Appliances (Minimum 3 appliances not to exceed 1 form each type with follow efficiencies.  Refrigerator - Energy Star Program Requirements, Product Specification for Consumer Refrigeration Products,  Version 5.1 (08/05/2021), Dishwasher - Energy Star Program Requirements for Residential Dishwashers, Version 6.0 (01/29/2016), Clothes Dryer - Energy Star Program Requirements, Product Specification for Clothes Dryers,  Version 1.1 (05/05/2017) and Clothes Washer - Energy Star Program Requirements, Product Specification for  Clothes Washers, Version 8.1 (02/05/2018)	7%
24	Renewable Energy Measure.4	11%

Energy efficiency percentage increases as established by PNNL.

22

23

24

25

26

27

28

- For multiple cooling systems, all systems shall meet or exceed the minimum efficiency requirements in this section and shall be sized to serve 100 percent of the cooling design load. For multiple heating systems, all systems shall meet or exceed the minimum efficiency requirements in this section and shall be sized to serve 100 percent of the heating design load. Increases to minimum efficiency requirements are limited to one selection.
- Minimum HRV and ERV requirements, measured at the lowest tested net supply airflow, shall be greater than or equal to 75 percent Sensible Recovery Efficiency (SRE), less than
  or equal to 1.1 cubic feet per minute per watt (0.03 m3/min/watt) and shall not use recirculation as a defrost strategy. In addition, the ERV shall be greater than or equal to 50
  percent Latent Recovery/ Moisture Transfer (LRMT).
- 4. Renewable energy resources shall be permanently installed that have the capacity to produce a minimum of 1.0 watt of on-site renewable energy per square foot of conditioned floor area. The installed capacity shall be in addition to any onsite renewable energy required by Section R404.4. To qualify for this option, one of the following forms of documentation shall be provided to the code official:
  - Substantiation that the RECs associated with the on-site renewable energy are owned by, or retired on behalf of, the homeowner.
  - ii. A contract that conveys to the homeowner the RECs associated with the on-site renewable energy, or conveys to the homeowner an equivalent quantity of RECs associated with other renewable energy.
- 5. Reduction in total UA from lines 1, 2 or 3 and higher performance windows from line 4 are limited to a single selection.

#### 20 ARTICLE V INTERNATIONAL SWIMMING POOL AND SPA CODE

#### 21 § 82-12. ADOPTION OF 2021 INTERNATIONAL SWIMMING POOL AND SPA CODE.

A. THE 2021 INTERNATIONAL SWIMMING POOL AND SPA CODE PUBLISHED BY THE INTERNATIONAL CODE COUNCIL, INC., IS HEREBY ADOPTED AND BY REFERENCE THERETO IS MADE A PART OF THIS CHAPTER WITH THE SAME FORCE AND EFFECT AS THOUGH SET OUT IN FULL HEREIN, SAVE AND EXCEPT SUCH CHANGES, AMENDMENTS, REVISIONS, DELETIONS, SUBSECTIONS AND/OR ADDITIONS AS SPECIFIED IN THIS CHAPTER. IF CONFLICTS WITH THIS CODE, OR WITH CHANGES, AMENDMENTS, REVISIONS, DELETIONS,

- 7 SUBSECTIONS AND/OR ADDITIONS TO THAT CODE ARE FOUND ELSEWHERE
- 8 IN THE COUNTY CODE, THE MOST RESTRICTIVE PROVISIONS SHALL GOVERN.
- 9 B. AT LEAST ONE COPY OF THIS CODE AND SUPPLEMENTS THERETO SHALL BE
- 10 ON FILE AND OPEN FOR PUBLIC USE, EXAMINATION AND INSPECTION IN THE
- 11 OFFICE OF THE DIRECTOR OF ADMINISTRATION AND IN THE OFFICE OF THE
- 12 COUNCIL ADMINISTRATOR.

#### 13 **§ 82-13. MODIFICATIONS.**

- 14 A. Definitions.
- 15 (1) AS USED WITHIN THE INTERNATIONAL SWIMMING POOL AND SPA CODE,
- 16 THE TERM "INTERNATIONAL BUILDING CODE" MEANS THE INTERNATIONAL
- 17 BUILDING CODE AS ADOPTED IN ARTICLE I OF THIS CHAPTER.
- 18 (2) AS USED WITHIN THE INTERNATIONAL SWIMMING POOL AND SPA CODE,
- 19 THE TERM "INTERNATIONAL RESIDENTIAL CODE" MEANS THE
- 20 INTERNATIONAL RESIDENTIAL CODE AS ADOPTED IN ARTICLE II OF THIS
- 21 CHAPTER.
- 22 (3) AS USED IN THIS CODE, THE TERM "NFPA-70" MEANS THE HARFORD
- 23 COUNTY ELECTRICAL CODE, CHAPTER 105 (ARTICLE I, SECTION 105-3, ET SEQ.)
- 24 OF THE HARFORD COUNTY CODE.
- 25 (4) AS USED IN THIS CODE, THE TERM "INTERNATIONAL FUEL GAS CODE"
- 26 MEANS THE HARFORD COUNTY PLUMBING CODE, CHAPTER 202 (SECTION 202-
- 27 1, ET SEQ.) OF THE HARFORD COUNTY CODE.
- 28 (5) AS USED IN THIS CODE, THE TERM "INTERNATIONAL PLUMBING CODE"
- 29 MEANS THE HARFORD COUNTY PLUMBING CODE, CHAPTER 202 (SECTION 202-
- 30 1, ET SEQ.) OF THE HARFORD COUNTY CODE.
- 31 B. THE FOLLOWING SECTIONS ARE CHANGES OR ADDITIONS TO CERTAIN
- 32 SECTIONS OF THE 2021 INTERNATIONAL SWIMMING POOL AND SPA CODE:

7	. (1)	SUBSECTION 101.1 IS AMENDED BY DELETING "NAME OF JURISDICTION"
8	•	AND INSERTING IN LIEU THEREOF "HARFORD COUNTY, MARYLAND".
9	(2)	SECTIONS 103 THROUGH 114 OF THE 2021 INTERNATIONAL SWIMMING
10		POOL AND SPA CODE ARE DELETED AND SECTIONS 102 THROUGH 117 OF
11		§ 82-2B OF THE HARFORD COUNTY CODE SHALL BE INSERTED IN LIEU
12		THEREOF.
13	(3)	SUBSECTION 395.1 IS DELETED AND THE FOLLOWING IS INSERTED IN
14		LIEU THEREOF:
15	[305.1] 395.1 GENERAL. THE PROVISIONS OF THIS SECTION SHALL APPLY TO	
16	THE I	DESIGN OF BARRIERS FOR RESTRICTING ENTRY INTO AREAS HAVING
17	POOLS AND SPAS. WHERE SPAS OR HOT TUBS AS EQUIPPED WITH A LOCKABLE	
18	SAFETY COVER COMPLYING WITH ASTM F1346, THE AREAS WHERE THOSE	
19	SPAS OR HOT TUBS ARE LOCATED SHALL NOT BE REQUIRED TO COMPLY WITH	
20	SECTIONS 305.2 THROUGH 305.7.	
21	Article [IV]VI. Miscellaneous provisions	
22	§ 82-1[0]4. Employee Restrictions.	
23	An official or employee connected with the department of inspections, licenses and permits, except	
24	one whose only connection is that of a member of the board of appeals, established under the	
25	provisions of Appendix B of Chapter 82 of the Harford county code, a member of the Harford	
26	County Electrical Board, a member of the Harford County Plumbing Board or a member of the	
27	Harford County Mechanical Board, shall not be compensated in any manner, directly or indirectly	
28	for the furnishing of labor, materials or appliances for the construction, alteration or maintenance o	
29	a building, or for the preparation of construction documents thereof, nor shall such official o	
30	employee engage in any work that conflicts with the interest of the department.	
31	§ 82-1[1]5. Saving clause.	
32	Nothing in this chapter hereby adopted shall be construed to affect any suit or proceedings pending	

46

- 7 in any court, or any rights acquired, or liability incurred, or any cause or causes of action acquired or
- 8 existing, under any act or ordinance hereby repealed, nor shall any just or legal right or remedy of
- 9 any character be lost, impaired or affected by this ordinance.
- 10 Section 2. And Be It Further Enacted that this Act shall take effect [60 calendar days from the date
- 11 it becomes law] MAY 29, 2024.

EFFECTIVE: May 20, 2024

The Council Administrator does hereby certify that seven (7) copies of this Bill are immediately available for distribution to the public and the press.

Council Administrator